

化学物質

著者名(タイトル)	雑誌名	年
Yoshida Induction of different types of uterine adenocarcinomas in Donryu rats due to neonatal exposure to high-dose p-t-octylphenol for different periods	Carcinogenesis	2002
Yoshida Lack of effects of oxolinic acid on spermatogenesis in young adult and aged Wistar rats	Food and Chemical	2002
Yoshida Neonatal exposure to p-tert-octylphenol causes abnormal expression of estrogen receptor α and subsequent alteration of cell proliferating activity in the developing	Toxicol Path	2002
Yoshino Field Survey on Indoor Air Quality and Occupants' Health Conditions in Sick House	Indoor Air Quality and	2002
Adachi ADAM7 (a disintegrin and metalloprotease 7) mRNA is suppressed in mouse epididymis by neonatal exposure to Diethylstilbestrol	Mol Reprod Dev	2003
Asano, H Regulation of estrogen receptor α and β expression by testosterone in the rat prostate gland	Endocrine J.	2003
Chai Z, 17 beta-hydroxysteroid dehydrogenase type XI localizes to human steroidogenic cells	Endocrinology	2003
Chamoto Critical Role of Th1/Tc1 Circuit for the Generation of Tumor-specific CTL during Tumor Eradication in vivo by Th1-cell Therapy	Cancer Science	2003
Cho, Y.M Age-dependent histopathological findings in the prostate of probasin/SV40 T antigen transgenic rats: Lack of influence of carcinogen or testosterone treatment	Cancer Sci	2003
Eguchi H Validity Test for a Yeast Two-Hybrid Assay to Screen for Estrogenic Activity, and Its Application to Insecticides and Disinfectants for Veterinary Use	Bull. Environ. Contam. Toxicol	2003
Franco Mitogen-activated protein kinase pathway is involved in androgen-independent PSA gene expression in LNCaP cells	Prostate	2003
Fujimoto Effects of environmental estrogenic compounds on growth of a transplanted estrogen responsive pituitary tumor cell line in rats	Food Chem Toxicol	2003
Fujimoto Estrogenic activity of an environmental pollutant, 2-nitrofluorene, after metabolic activation by rat liver microsomes	Biochem Biophys Res Commun	2003
Fukushima Appropriate models and an understanding of carcinogenic mechanisms-requirements for hazard risk assessment	Asian Pac J Cancer Prev	2003
Fukushima Lack of initiation activity in rat liver of low doses of 2-amino-3,8-dimethylimidazo[4,5-f]quinoxaline	Cancer Lett	2003
Haraguchi Identification and tissue distribution of catechol metabolites of polychlorinated biphenyls in rodents dosed with Kanechlor 500	Organohalogen Compound	2003
Hirabayashi Evaluation of nonthreshold leukemogenic response to methyl nitrosourea in p53-deficient C3H/He mice	Toxicol Appl Pharmacol	2003
Hirai T, Concentration of polybrominated diphenyl ethers (PBDE) in human sample in Japanese	Organohalogen Compounds	2003
Hokaiwa Lack of effect human c-Ha-ras prostate carcinogenesis in probasin/SV40 T antigen transgenic rats	Cancer Sci	2003
Hoshino Organochlorine compound accumulation in Steller sea lion Eumetopias jubatus migrating along the coast of Hokkaido in northern Japan	Jpn J Toxicol.	2003
Ichihara Lack of carcinogenic risk in the prostate with transplacental and lactational exposure to bisphenol A in rats	J Toxicol Sci	2003
Iguchi T Developmental effects of hormonally active agents on animals: from daphnia to humans	Environ. Sci.	2003
Iida T, H Follow-up survey of dioxins and related chemicals in the blood of Yusho patients in 2001	Organohalogen Compounds	2003
Inoue T, Hormonally active agents and plausible relationships to adverse effects on human health	Pure Appl Chem	2003
Inoue T, Health hazards of endocrine-disrupting chemicals on humans as examined from the standpoint of their mechanism of action	Japan Med Assoc J	2003
Ishibashi Sex steroid hormone receptors in human thymoma	J Clin Endocrinol Metab	2003
Ishitani p54nrb acts as a transcriptional coactivator for activation function 1 of the human androgen receptor	Biochem Biophys Res Commun	2003
Ishizuka Perinatal exposure to low doses of 2,3,7,8-tetrachlorodibenzo-p-dioxin alters sex-dependent expression of hepatic CYP2C11	J Biochem Mol Toxicol	2003
Ito N, T A medium-term rat liver bioassay for rapid in vivo detection of carcinogenic potential of chemicals	Cancer Sci	2003
K. Inoue Size-exclusion flow extraction of bisphenol A in human urine for liquid chromatography mass spectrometry	J. Chromatogr. B	2003
Kami Y PPARgamma coactivator 1beta/ERR ligand 1 is an ERR protein ligand, whose expression induces a high-energy expenditure and antagonizes obesity	Proc Natl Acad Sci U.S.A	2003
Kanayanar Basis of a High-Throughput Method for Nuclear Receptor Ligands	J. Biochem	2003
Kanno J The OECD program to validate the rat uterotrophic bioassay. Phase 2: coded single-dose studies	Environ Health Perspect	2003
Kato H, Changes in reproductive organs of female rats treated with bisphenol A during the neonatal period	Reprod Toxicol	2003

化学物質

著者名(タイトル)	雑誌名	年
Kato Y, Species difference among mice, hamsters, rats, and guinea pigs in 2,2',4,5,5'-pentachlorobiphenyl or 2,2',3',4',5,6-hexachlorobiphenyl-induced alteration of serum thyroid hormone level	J Toxicol Sci	2003
Kato Y, Species difference among mice, hamsters, rats and guinea pigs in Kanechlor-500-induced alterations of serum thyroid hormone level	Organohalogen Compound	2003
Kato Y, Species difference among mice, hamsters, rats and guinea pigs in 2,2',4,5,5'-pentachlorobiphenyl and 2,2',3',4',5,6-hexachlorobiphenyl-induced alterations of serum thyroid hormone level	Organohalogen Compound	2003
Kato Y, Effects of polychlorinated biphenyls, Kanechlor-500, on serum thyroid hormone levels in rats and mice	Toxicol Sci	2003
Kato Y, Species difference among mice, hamsters, rats, and guinea pigs in Kanechlor-500-induced alteration of serum thyroid hormone level	J Toxicol Sci	2003
Katsu Y Expression of a novel C-type lectin in the mouse vagina	Endocrinology	2003
Kawabata Estrogen receptors (alpha and beta) and 17beta-hydroxysteroid dehydrogenase type 1 and 2 in thyroid disorders: possible in situ estrogen synthesis and actions	Mod Pathol	2003
Kawajiri Role of LXXLL-motif and activation function 2 domain in subcellular localization of Day-1	Mol. Endocrinol.	2003
Kawamura Estrogenic Activities of UV Stabilizers Used in Food Contact Plastics and Benzophenone Derivatives Tested by the Yeast Two-Hybrid Assay	J. Health Sci	2003
Kawana Molecular mechanism of nuclear translocation of an orphan nuclear receptor SXR.	Mol. Pharmacol.	2003
Kawano Suppressive function of androgen receptor in bone resorption	Proc Natl Acad Sci U.S.A	2003
Kikuchi Heterodimers of bHLH-PAS protein fragments derived from Ahr, AhRR and Arnt prepared by co-expression in <i>Escherichia coli</i> : characterization of their DNA binding activity and preparation of a DNA complex	J. Biochem	2003
Kim HS, Short period exposure to di-(2-ethylhexyl) phthalate regulates testosterone metabolism in testis of prepubertal rats	Arch Toxicol.	2003
Kimura Polyglutamine diseases and molecular chaperones	IUBMB Life	2003
Kitagawa Detection of Thyroid Hormone Receptor-Binding Activities of Chemicals Using a Yeast Two-Hybrid Assay	J. Health Sci	2003
Kitagawa Promoter targeting of a nuclear receptor with an ATP-dependent chromatin remodeling complex related to Williams syndrome	Cell,	2003
Kitamura Estrogenic activity of styrene oligomers after metabolic activation by rat liver microsomes	Environ Health Perspect	2003
Kitamura Metabolic activation of proestrogenic diphenyl and related compounds by rat liver microsomes	J Health Sci	2003
Kitamura Antiandrogenic activity of the organophosphorus pesticide fenitrothion and related compounds and the effect of metabolism Env	En. Health Persp.	2003
Kobayashi Molecular analyses of Machado-Joseph disease	Cytogenet Genome Res	2003
Koga N, Metabolism of 2,3,3',4,4'-pentachlorobiphenyl in hamsters	Fukuoka Acta Medica	2003
Lamb JG Risk management options for endocrine disruptors in national and international programs	Pure Appl Chem	2003
Li, J., K Identification of Th1- and Th2-specific Genes by Microarray Analysis.	Biomedical Res.	2003
Masuto Impact of dietary exposure to methoxychlor, genistein, or diisononyl phthalate during the perinatal period on the development of the rat endocrine/reproductive systems in animal experiment- Synergism in endocrine disruptor studies	Toxicology	2003
Matsuda A statistical method for judging synergism: Application to an endocrine disruptor animal experiment- Synergism in endocrine disruptor studies	Environmetrics	2003
Matsuzaki Successful elimination of memory-type CD8+ T cell subsets by the administration of anti-Gr-1 monoclonal antibody in vivo	Cellular Immunol	2003
Mikamo Endocrine Disruptors Induce Cytochrome P450 by Affecting Transcriptional Regulation via Pregnane X Receptor	Toxicol. Appl. Pharmacol	2003
Mikamo Methoxychlor Induces CYP2C11 to Convert Itself into Hormonally Active Metabolites	J. Health Sci	2003
Miriguchi Distinct response to dioxin in an arylhydrocarbon receptor (AHR)-humanized mouse	Proc. Natl. Acad. Sci.	2003
Miyata H Detection of lung cancer causing substances in the atmosphere-detection of the environmental pollutants in tissues of the dog.	Organohalogen Compounds	2003
Mizuno Vacuole-creating protein in neurodegenerative diseases in humans	Neurosci Lett	2003
Morikawa Prenatal diagnosis and fetal therapy of congenital cystic adenomatoid malformation of the lung: a report of five cases	Congenital Anomalies	2003
Nagasaki Dietary habits and blood polychlorinated dibenzo-p-dioxins, dibenzofurans and coplanar PCB levels among Japanese residents	Organohalogen Compounds	2003

著者名(タイトル)	雑誌名	年
Nakamu Steroid sulfatase and estrogen sulfotransferase in the atherosclerotic human aorta	Am J Pathol	2003
Noda S, Gene expression of detoxifying enzymes in AhR and Nrf2 compound null mutant mouse	Biochem. Biophys. Res. Commun.	2003
Nukaya Aryl hydrocarbon receptor-mediated suppression of GH receptor and janus kinase 2 expression in mice.	FEBS Letter	2003
Ohtake Modulation of oestrogen receptor signaling by association with the activated dioxin receptor	Nature	2003
Okada A Expression of estrogen, progesterone and androgen receptors in the oviduct of developing cycling and pre-implantation rats	J Mol Endocrinol	2003
Otani K, A random effects nonlinear regression model for analysis of environmental contamination data.	Environmetrics	2003
Saeki K Activation of the human Ah receptor by aza-polycyclic aromatic hydrocarbons and their halogenated derivatives	Biol. Pharm. Bull.	2003
Sakamoto Cytochrome p450 induction and gonadal status alteration in common carp (<i>Cyprinus carpio</i>) associated with the discharge of dioxin contaminated effluent to the Hikiji River, Kanagawa Prefecture, Japan.	Chemosphere.	2003
Salim EI Chemopreventive potential of volatile oil from black cumin (<i>Nigella sativa</i> L.) seeds against rat colon carcinogenesis	Nutr Cancer	2003
Sanoh S Estrogenic activity of stilbene derivatives	J Health Sci	2003
Sasaki, H Differential regulation of VLA-2 expression on Th1 and Th2 cells: a novel marker for the classification of Th subsets	Int Immunol	2003
Sata F, Glutathione S-transferase M1 and T1 polymorphisms and the risk of recurrent pregnancy loss	Mol Hum Reprod	2003
Sata F, A polymorphism in the CYP17 gene relates to the risk of recurrent pregnancy loss.	Mol Hum Reprod	2003
Sato T, Multiple mechanisms are involved in apoptotic cell death in the mouse uterus and vagina after ovariectomy	Reprod Toxicol	2003
Sato T, Late onset of obesity in male androgen receptor-deficient (AR KO) mice	Biochem Biophys Res Commun.	2003
Sato Y, Immunolocalization of nuclear transcription factors, DAX-1 and COUP-TF II, in the normal human ovary: correlation with adrenal 4 binding protein/steroidogenic factor-1	J Clin Endocrinol Metab	2003
Sato, M, A novel tumorvaccine cell therapy using bone marrow-derived dendritic cell type 1 and antigen-specific T helper type 1 cells	Int. Immunol	2003
Seike N, Enhancement of lung carcinogenesis by nonylphenol and genistein in a F344 rat multistage carcinogenesis model	Cancer Lett	2003
Sekido Heterogeneous gene alterations in primary breast cancer contribute to discordance between primary and asynchronous metastatic/recurrent sites: HER2 gene	Internat J Oncology	2003
Sekimoto Functional expression of TrkC gene encoding a high affinity receptor for NT-3 in antigen-specific T helper-type 2(Th2) cells	Immunol. letters	2003
Sekizawa Integrated human ecological risk assessment: a case study of tributyltin and triphenyltin compounds	J Human and Ecological Risk	2003
Shen J, Liver tumorigenicity of trimethylarsine oxide in male Fischer 344 rats-association with oxidative DNA damage and enhanced cell proliferation	Carcinogenesis	2003
Shimada No difference in natural-killer-T cell population, but Th2/Tc2 predominance in peripheral blood of recurrent aborters.	Am J Reprod Immunol	2003
Shimada Expression of allograft inflammatory factor-1 in mouse uterus and poly (I:C)-induced fetal resorption	Am J Reprod Immunol	2003
Shinkyō Metabolic pathways of dioxins by CYP1A1: Species difference between rat and human	Arch. Biochem. Biophys	2003
Shinkyō Generation of 2,3,7,8-TCDD-metabolizing enzyme by modifying rat CYP1A1 through site-directed mutagenesis	Biochem. Biophys. Res. Commun	2003
Shirota Effects of reduction of the number of primordial follicles on follicular development to achieve puberty in female rats	Reproduction	2003
Son HY, Synergistic interaction between excess caffeine and deficient iodine on the promotion of thyroid carcinogenesis in rats pretreated with N-bis(2-hydroxypropyl)-nitrosamine	Cancer Sci	2003
Son HY, Lack of modifying effects of atrazine and/or tamoxifen on thyroid carcinogenesis in rats pretreated with N-bis(2-hydroxypropyl)-nitrosamine (DHPN)	Food Chem Toxicol	2003
Son HY, Prolonged effects of β -estradiol 3-benzoate on thyroid tumorigenesis in gonadectomized rats pretreated with N-bis(2-hydroxypropyl)-nitrosamine	Cancer Letter	2003
Sugihara Metabolism of indirubin and indigo, endogenous aryl hydrocarbon receptor ligand candidates and competitive affect with resnact to 2,3,7,8-tetrachlorodibenzo-p-dioxin	Organohalogen Compounds	2003
Sumida Renal fibrosis induced by in utero and lactational exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin in rhesus monkeys	Organohalogen Compounds	2003
Suter G Types of integration in risk assessment and management, and why they are needed	J Human and Ecological Risk	2003
Suter G Framework for the integration of health and ecological risk assessment	J Human and Ecological Risk	2003

著者名(タイトル)	雑誌名	年
Suter G Types of Integration in Risk Assessment and Management , and Why They Are Needed	J. Human and Ecological Risk	2003
Suter G Framework for the Integration of Health and Ecological Risk Assessment	J. Human and Ecological Risk	2003
Suzuki Prenatal and neonatal exposure to bisphenol-A enhances the central dopamine D1 receptor-mediated action in mice: Enhancement of the methamphetamine-induced abuse state	Neuro-science	2003
Suzuki Effects of steroid hormones on vascular functions	Microsc Res Tech	2003
Suzuki Estrogen sulfotransferase and steroid sulfatase in human breast carcinoma	Cancer Res	2003
Takahas Feedback loops comprising D111, D113, Mesp2, and differential involvement of Psen1 are essential for rostrocaudal patterning of somites	Development	2003
Takao Y High sensitivity analysis of indirubin by silylation using GC/MS.	J. Health Sci.	2003
Takatori Estrogenicity of metabolites of benzophenone derivatives examined by a yeast two-hybrid assay	J Health Sci.	2003
Tanaka Targeted disruption of oncostatin M receptor results in altered hematopoiesis	Blood	2003
Toide K, Aryl hydrocarbon hydroxylase represents CYP1B1, and not CYP1A1, in human freshly isolated white cells: trimodal distribution of Japanese population according to induction of CYP1B1 mRNA by environmental dioxins	Cancer Epidemiol. Biomarkers Prev	2003
Tsuji, T. An efficient methods to prepare T cell receptor genetransduced cytotoxic T lymphocytes type 1 applicable to tumor gene cell-therapy	Cancer Science	2003
Uchida Y Proprotein convertases regulate activity of prostate epithelial cell differentiation markers and are modulated in human prostate cancer cells	J Cell Biochem	2003
Umemura Immunohistochemical Evaluation of Hormone Receptor for Routine Practice of Breast Cancer:Highly Sensitive Procedures Significantly Contribute to the Correlation with Biochemical Assays	Applied Immunohistochemistry & Molecular	2003
Usuki Y, The new approach to measure the toxicity of dioxins in waste gas using the ecoassy dioxin elisa kit and the digana filter.	Organohalogen Compounds	2003
Usuki Y, The measurement of toxicity of dioxins in human blood using the Ah-immunoassay.	Organohalogen Compounds	2003
Utsunomiya The correlation between the response to progestogen treatment and the expression of progesterone receptor B and 17beta-hydroxysteroid dehydrogenase type 2 in human endometrial carcinoma	Clin Endocrinol (Oxf)	2003
Utsuyama Glia maturation factor produced by thymic epithelial cells plays a role in T cell differentiation in the thymic microenvironment	Int Immunol	2003
Watanabe An improved technique for repeated gavage administration to rat neonates	Cong. Anom	2003
Watanabe Evaluation of endocrine disruptors based on gene expression using amicroarray	Environ. Sci.	2003
Watanabe Similarities and differences in uterine gene expression patterns caused by treatment with physiological and non-physiological estrogens	J Mol Endocrinol	2003
Watanabe Analysis of temporal changes in the expression of estrogen-regulated genes in the uterus	J Mol Endocrinol	2003
Watanabe Health effects of chronic exposure to polychlorinated dibenzo-p-dioxins, dibenzofurans and coplanar PCB around municipal waste incinerators	Organohalogen Compounds	2003
Wei M, V Carcinogenicity of dimethylarsinic acid and relevant mechanisms	In: Arsenic Exposure and	2003
Yamada Prevalence of diverse anti-phospholipid antibodies in women with recurrent abortion.	Fertil Steril	2003
Yamada Decreased serum levels of macrophage migration inhibition factor in miscarriages with normal chromosome karyotype	Hum Reprod	2003
Yamada Anti-cardiolipin B2-glycoprotein I antibody: Is a high titer related to pregnancy complication ?	Semin Thromb Hemost	2003
Yamada Intravenous immunoglobulin treatment in women with recurrentabortions: Increased cytokine levels and reduced Th1/Th2 lymphocyte ratio in peripheral blood	Am J Reprod Immunol	2003
Yamada Preconceptional natural-killer-cell activity and percentage as predictors of biochemical pregnancy and spontaneous abortion with normal chromosome karyotype	Am J Reprod Immunol	2003
Yamasaki OECD validation of the Hershberger assay in Japan: Phase 2-Dose response of methyltestosterone, vinclozolin and o,p'-DDE	Environ Health Perspect	2003
Yasuda Effect of in utero lactational exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin on tooth development in rhesus monkeys	Organohalogen Compounds	2003
Yoon BI Mechanisms of benzene-induced hematotoxicity and leukemogenicity: cDNA microarray analyses using mouse bone marrow tissue	Environ Health Perspect	2003
Yoshida Differential Enhancement by neonatal exposure to p-tert-octylphenol of uterine carcinogenesis in Donryu rats depending on the administration period	Toxico Path	2003

化学物質

著者名(タイトル)	雑誌名	年
Yoshida Effects of maternal exposure to nonylphenol on growth and development of the female reproductive system and uterine carcinogenesis in rats	J Toxicol Pathol	2003
Adachi Comparison of Gene Expression Patterns between 2,3,7,8-tetrachlorodibenzo-p-dioxin and a Natural Arylhydrocarbon Receptor Ligand Indirubin	Toxicological Science	2004
Adachi Toxicogenomic difference between diethylstilbestrol and 17beta-estradiol in mouse testicular gene expression by neonatal exposure	Mol Reprod Dev	2004
Adachi Long-term alteration of gene expression without morphological change in testis after neonatal exposure to genistein in mice: Toxicogenomic analysis using cDNA	Food Chem Toxicol	2004
Chamoto Potentiation of Tumor Eradication by Adoptive Immunotherapy with T-cell Receptor Gene-Transduced T-Helper Type 1 Cells	Cancer Res	2004
Fujimoto Effects of environmental estrogenic chemicals on AP1 mediated transcription with estrogen receptors alpha and beta	J. Steroid Biochem. Mol. Biol. Life Science	2004
Fujimoto Estrogenic activity of an antioxidant, nordihydroguaiaretic acid (NDGA)	Life Science	2004
Fujimura Generation of Leukemia-Specific T-Helper Type 1 Cells Applicable To Human Leukemia Cell-Therapy	Immunol. Letters	2004
Fukama Possible enhancing effects of atrazine and onylphenol on 7,12-dimethylbenz[<i>a</i>]anthracene-induced mammary tumor development in human c-Ha-ras	Cancer Sci	2004
Gauger Polychlorinated biphenyls (PCBs) exert thyroid hormone-like effects in the fetal rat brain but do not bind to thyroid hormone receptors	Environ Health Perspect	2004
Gyobu, H Generation and targeting of human tumor-specific Tc1 and Th1 cells transduced with a lentivirus containing a chimeric immunoglobulin T cell receptor	Cancer Res	2004
Iguchi K Zinc and metallothionein levels and expression of zinc transporters in androgen-independent subline of LNCaP cells	J Androl.	2004
Ikuta T Phosphorylation of nuclear localization signal inhibits the ligand-dependent nuclear import of aryl hydrocarbon receptor	Biochem. Biophys. Res. Commun	2004
Ikuta T Cell density regulates intracellular localization of aryl hydrocarbon receptor.	J. Biol. Chem.	2004
Inoue K Perfluorooctane Sulfonate (PFOS) and Related Perfluorinated Compounds in Human Maternal and Fetal Serum Samples: Assessment of PFOS Exposure in Susceptible	Environ Health Perspect	2004
Ishida T Possible reduction of the sub-acute toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin by a plant isradiant, quercetin	J. Health Sci.	2004
Ishida T Enhancement of the toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin by carbenoxolone without affecting arylhydrocarbon receptor activation	Chemosphere	2004
Ishida T Reduction of the toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin in mice using an anticancer drug, geranylgeranylacetone	Biol. Pharm. Bull.	2004
Ishida T Curcumin anticipates the suppressed body weight gain with 2,3,7,8-tetrachlorodibenzo-p-dioxin in mice	J. Health Sci.	2004
Kataoka Radiographic and genetic diagnosis of sporadic hypochondroplasia early in the neonatal period	Prenatal Diag	2004
Kato H Evaluation of estrogenic activity in diets for experimental animals using in vitro assay	J Agri Food Chem	2004
Kawajiri Regulation of nucleo-cytoplasmic transport of aryl hydrocarbon receptor.	J. Health Science	2004
Kobashi A1166C variant of angiotensin II type 1 receptor gene is associated with severe hypertension in pregnancy independently of T235 variant of angiotensinogen gene	J Hum Genet	2004
Maeda H Effective treatment of advanced solid tumors by the combination of arsenic trioxide and L-homocysteine-sulfoximine	Cell Death Differ	2004
Masutor Dietary influence on the impact of ethinylestradiol-induced alterations in the endocrine/reproductive system with perinatal maternal exposure	Reprod Toxicol	2004
Matsum Molecular clearance of ataxin-3 is regulated by a mammalian E4	Embo J	2004
Matsuno Effect of neonatal exposure to diethylstilbestrol on testicular gene expression in adult mouse: comprehensive analysis with cDNA subtraction method	Internat J Androl	2004
Miyagawa Estrogen-independent activation of erbBs signaling and estrogen receptor alpha in the mouse vagina exposed neonatally to diethylstilbestrol	Oncogene	2004
Nagao T Intrauterine position and postnatal growth in Sprague-Dawley rats and ICR mice	Reprod Toxicol	2004
Saijo Y Single nucleotide polymorphisms in the promoter region of the interleukin-6 gene and the risk of recurrent pregnancy loss	Fertil Steril	2004
Saito K Polymorphism in diazepam metabolism in Wistar rat	J Pharmaceutical Sciences	2004
Sato T Brain masculinization requires androgen receptor function	Proc Natl Acad Sci U.S.A.	2004
Sato, T. IFN-gamma-induced SOCS-1 regulates STAT6-dependent eotaxin production triggered by IL-4 and TNE-alpha	Biochem Biophys Res Commun	2004
Shimada No differences in natural-killer or natural-killer-T cell population, but aberrant T helper population in the endometrium of woman with repeated miscarriage	Hum Reprod	2004
Sugihara Aryl hydrocarbon receptor-mediated induction of microsomal drug-metabolizing enzyme activity by indirubin and indirigo	Biochemical and Biophysical	2004

化学物質

著者名(タイトル)	雑誌名	年
Yamada Circulating cytokines during early pregnancy in women with recurrent spontaneous abortion	Hokkaido Igaku Zasshi	2004
Yamada A polymorphism in the CYP17 gene and intrauterine fetal growth restriction.	Mol Hum Reprod	2004
Yamada Genetic factors of fetal growth restriction and miscarriage.	Semin Thromb Hemost	2004
Yamada Decrease in a specific killer cell immunoglobulin-like receptor on peripheral natural killer cells in women with recurrent spontaneous abortion of unexplained etiology	Am J Reprod Immunol	2004
Yamada Unexpected Role of TNF- α in Graft Versus Host Reaction (GVHR): Donor-Derived TNF- α Suppresses GVHR via Inhibition of IFN- γ -dependent Donor Type 1	Immunol. Letters	2004
Yoshihara Potent Estrogenic Metabolites of Bisphenol A and Bisphenol B Formed by Rat Liver S9 Fraction: Their Structures and Estrogenic Potency	Toxicological Science	2004
Kato N. Gene expression profile in the livers of rats orally administered ethinylestradiol for 28 days using a microarray technique	Toxicology	2004
Masutor Alteration of pituitary hormone-immunoreactive cell populations in rat offspring after maternal dietary exposure to endocrine-active chemicals	Arch Toxicol	2004
Takagi H Lack of maternal dietary exposure effects of bisphenol A and nonylphenol during the critical period for brain sexual differentiation on the reproductive/endocrine systems	Arch Toxicol	2004
Yoshida Lack of effect for maternal exposure to low-doses of bisphenol A on development of the female reproductive tract and uterine carcinogenesis in rats	J Reprod and Develon	2004
Morikawa Live birth rate varies with gestational history and etiology in women experiencing recurrent spontaneous abortion	Eur J Obstet Gynecol Reprod	