

表8-1 国籍別、性別、報告地別の年次推移(HIV感染者)

国籍	性別	報告地 (ブロック*1)	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	
日本	男	北海道・東北	0	0	1	1	2	0	3	2	2	3	4	3	
		関東・甲信越*2	0	0	8	3	6	3	11	40	32	56	56	70	
		東京	0	0	17	8	21	16	22	39	45	40	60	89	
		東海	0	0	0	1	3	1	3	8	6	5	10	11	
		北陸	0	0	1	0	0	0	2	0	0	0	1	2	
		近畿	0	0	5	1	1	6	7	10	9	18	9	12	
		中国・四国	0	0	1	1	1	1	1	3	4	2	3	1	
		九州	0	0	1	0	1	0	3	6	4	10	4	1	
		合計	0	0	34	15	35	27	52	108	102	134	147	189	
		女		北海道・東北	0	0	0	0	1	0	1	1	3	0	0
関東・甲信越*2	0			0	4	1	6	2	5	3	6	13	9	18	
東京	0			0	6	3	7	6	3	3	5	4	5	14	
東海	0			0	0	0	0	0	2	1	1	5	2	1	
北陸	0			0	0	0	1	0	1	0	0	1	1	0	
近畿	0			0	0	0	1	0	2	2	5	7	1	5	
中国・四国	0			0	1	0	2	1	2	2	0	1	1	0	
九州	0			0	0	0	0	1	1	4	2	1	0	0	
合計	0			0	11	4	18	10	17	16	22	32	19	41	
外国	男			北海道・東北	0	0	0	0	0	0	0	1	2	1	1
		関東・甲信越*2	0	0	2	0	0	2	6	19	6	13	19	23	
		東京	0	0	7	3	18	6	9	16	18	12	15	23	
		東海	0	0	0	0	2	0	3	3	2	3	6	13	
		北陸	0	0	0	0	0	0	0	0	0	0	1	0	
		近畿	0	0	1	1	1	2	6	4	4	5	2	3	
		中国・四国	0	0	0	0	0	0	2	2	0	1	0	1	
		九州	0	0	0	0	0	1	0	0	1	2	3	1	
		合計	0	0	10	4	21	11	26	45	33	37	47	65	
		女		北海道・東北	0	0	0	0	0	0	0	2	0	1	0
関東・甲信越*2	0			0	0	0	4	9	86	181	76	69	39	54	
東京	0			0	0	0	2	6	7	50	27	14	15	13	
東海	0			0	0	0	0	3	11	19	10	7	5	9	
北陸	0			0	0	0	0	0	0	3	2	1	0	0	
近畿	0			0	0	0	0	0	1	18	5	3	3	2	
中国・四国	0			0	0	0	0	0	0	0	0	0	0	1	
九州	0			0	0	0	0	0	0	0	0	0	0	2	2
合計	0			0	0	0	6	18	105	273	120	95	64	81	

*1 ブロック区分については、表10-1を参照。

*2 東京都を除く。

国籍	性別	報告地 (ブロック*1)	1997	1998	1999	2000	2001	2002	2003	合計	合計の%
日本	男	北海道・東北	3	13	11	12	15	13	13	101	2.9
		関東・甲信越*2	77	91	97	71	85	73	93	872	24.7
		東京	106	106	186	167	222	238	225	1,607	45.5
		東海	16	12	15	22	43	40	50	246	7.0
		北陸	1	0	2	3	5	6	2	25	0.7
		近畿	24	30	48	46	81	83	105	495	14.0
		中国・四国	3	3	5	9	11	11	17	77	2.2
		九州	4	6	15	6	13	17	20	111	3.1
		合計	234	261	379	336	475	481	525	3,534	100
女		北海道・東北	1	2	1	0	7	4	3	27	5.9
		関東・甲信越*2	18	16	26	9	16	14	11	177	38.6
		東京	8	9	9	13	14	12	9	130	28.3
		東海	4	1	1	4	7	7	2	38	8.3
		北陸	0	0	0	1	0	0	0	5	1.1
		近畿	1	5	3	1	3	1	4	41	8.9
		中国・四国	1	1	1	1	1	0	1	16	3.5
		九州	1	2	4	3	2	2	2	25	5.4
		合計	34	36	45	32	50	40	32	459	100
外国	男	北海道・東北	1	0	0	1	1	4	1	14	2.1
		関東・甲信越*2	22	17	14	15	16	14	12	200	30.3
		東京	14	25	15	25	27	22	18	273	41.4
		東海	5	8	4	6	13	7	6	81	12.3
		北陸	0	0	0	1	0	0	1	3	0.5
		近畿	4	8	4	4	0	7	7	63	9.5
		中国・四国	2	0	1	1	1	0	2	13	2.0
		九州	1	0	1	0	1	1	1	13	2.0
		合計	49	58	39	53	59	55	48	680	100
女		北海道・東北	1	0	1	0	0	0	0	5	0.4
		関東・甲信越*2	41	38	37	23	19	19	16	711	63.1
		東京	15	13	17	9	11	3	10	212	18.8
		東海	13	7	5	6	4	7	3	109	9.7
		北陸	0	0	2	1	0	1	1	11	1.0
		近畿	8	8	3	2	1	5	3	62	5.5
		中国・四国	2	0	0	0	2	3	1	9	0.8
		九州	0	1	2	0	0	0	1	8	0.7
		合計	80	67	67	41	37	38	35	1,127	100

表8-2 国籍別、性別、報告地別の年次推移(AIDS患者)

国籍	性別	報告地 (ブロック*1)	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	
日本	男	北海道・東北	0	0	0	2	2	2	0	2	0	6	5	7	
		関東・甲信越*2	0	0	1	3	2	4	5	10	19	23	44	74	
		東京	5	1	4	2	7	8	12	15	14	46	37	49	
		東海	0	0	0	1	1	1	0	0	5	5	9	8	
		北陸	0	0	0	0	0	0	0	2	1	2	1	2	
		近畿	0	1	0	1	1	3	3	3	6	4	9	11	
		中国・四国	0	0	0	0	2	0	0	2	4	0	1	0	
		九州	0	1	1	0	0	0	4	2	4	5	2	5	
		合計	5	3	6	9	15	18	24	36	53	91	108	156	
女		北海道・東北	0	0	0	0	0	0	0	0	0	0	0	2	3
		関東・甲信越*2	0	0	0	0	0	0	0	0	0	1	3	4	3
		東京	0	0	2	0	1	3	0	0	2	1	1	1	3
		東海	0	0	0	0	0	0	0	0	1	0	2	1	
		北陸	0	0	0	0	0	0	0	0	0	0	0	0	
		近畿	0	0	1	0	1	0	0	1	0	3	1	4	
		中国・四国	0	0	0	1	0	0	0	0	1	2	0	0	
		九州	0	0	0	1	0	0	0	0	0	0	0	1	1
		合計	0	0	3	2	2	3	0	1	5	9	11	15	
外国	男	北海道・東北	0	0	0	1	0	0	1	0	0	0	0	0	
		関東・甲信越*2	0	0	1	1	0	1	4	1	6	12	12	18	
		東京	1	2	2	1	2	6	4	4	7	6	7	16	
		東海	0	0	0	0	0	1	4	3	5	7	13	10	
		北陸	0	0	0	0	0	0	0	0	0	1	0	0	
		近畿	0	0	0	0	1	1	0	3	1	1	1	1	
		中国・四国	0	0	0	0	0	1	1	1	0	0	0	0	
		九州	0	0	0	0	1	0	0	1	0	1	0	0	
		合計	1	2	3	3	4	10	14	13	19	28	33	45	
女		北海道・東北	0	0	0	0	0	0	0	0	0	0	0	0	
		関東・甲信越*2	0	0	1	0	0	0	0	0	6	6	9	14	
		東京	0	0	1	0	0	0	0	1	1	1	3	2	
		東海	0	0	0	0	0	0	0	0	1	1	3	2	
		北陸	0	0	0	0	0	0	0	0	0	0	0	0	
		近畿	0	0	0	0	0	0	0	0	1	0	1	0	
		中国・四国	0	0	0	0	0	0	0	0	0	0	0	0	
		九州	0	0	0	0	0	0	0	0	0	0	1	0	
		合計	0	0	2	0	0	0	0	1	9	8	17	18	

*1 ブロック区分については、表10-1を参照。

*2 東京都を除く。

国籍	性別	報告地 (ブロック*1)	1997	1998	1999	2000	2001	2002	2003	合計	合計の%
日本	男	北海道・東北	10	11	9	6	6	8	16	92	4.6
		関東・甲信越+2	70	70	87	99	79	89	80	759	37.8
		東京	57	49	62	74	73	75	78	668	33.3
		東海	5	7	15	15	14	13	19	118	5.9
		北陸	0	1	0	2	0	2	3	16	0.8
		近畿	18	13	26	27	32	33	29	220	11.0
		中国・四国	1	2	5	6	5	3	11	42	2.1
		九州	9	5	8	10	12	9	16	93	4.6
		合計	170	158	212	239	221	232	252	2,008	100
		女		北海道・東北	1	1	0	0	4	2	0
関東・甲信越+2	6			5	4	12	8	8	12	66	39.1
東京	3			2	5	4	4	5	3	39	23.1
東海	1			1	1	1	2	1	2	13	7.7
北陸	1			0	1	0	0	0	0	2	1.2
近畿	0			1	1	0	4	2	2	21	12.4
中国・四国	0			0	0	1	0	2	0	7	4.1
九州	0			0	0	3	2	0	0	8	4.7
合計	12			10	12	21	24	20	19	169	100
外国	男			北海道・東北	4	0	1	1	0	0	1
		関東・甲信越+2	16	23	21	18	29	16	14	193	40.3
		東京	9	8	14	8	20	7	11	135	28.2
		東海	8	5	6	9	4	5	5	85	17.7
		北陸	0	1	1	0	2	1	0	6	1.3
		近畿	2	3	3	4	4	3	6	34	7.1
		中国・四国	0	1	0	1	1	2	1	9	1.9
		九州	0	1	0	0	1	2	1	8	1.7
		合計	39	42	46	41	61	36	39	479	100
		女		北海道・東北	0	1	1	0	0	0	1
関東・甲信越+2	23			12	15	16	13	11	15	141	59.7
東京	3			3	7	8	5	6	5	46	19.5
東海	2			2	5	3	2	1	4	26	11.0
北陸	0			0	1	0	0	0	1	2	0.8
近畿	1			2	2	1	5	0	0	13	5.5
中国・四国	0			1	0	0	1	1	0	3	1.3
九州	0			0	0	0	0	1	0	2	0.8
合計	29			21	31	28	26	20	26	236	100

表9-1 HIV感染者及びAIDS患者の年齢階級別、感染地別、報告地別の年次推移
(日本国籍男性・異性間性的接触)

診断区分	項目	区分	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	
HIV	合計		0	0	11	5	11	6	27	56	42	51	74	67	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0
		10-14	0	0	0	0	0	0	0	0	0	0	0	0	0
		15-19	0	0	0	0	0	0	0	1	1	0	1	0	1
		20-24	0	0	1	0	0	1	3	6	8	2	3	4	4
		25-29	0	0	6	2	2	0	5	6	5	4	16	9	9
		30-34	0	0	2	2	3	2	5	4	6	12	14	16	16
		35-39	0	0	1	0	2	2	4	11	3	8	7	9	9
		40-44	0	0	0	1	0	1	2	13	9	8	6	11	11
		45-49	0	0	1	0	1	0	5	5	6	10	12	6	6
		50-54	0	0	0	0	1	0	2	6	4	2	12	6	6
		55-59	0	0	0	0	0	0	0	0	2	1	2	2	2
	60歳以上	0	0	0	0	2	0	0	0	2	0	2	2	3	
	不明	0	0	0	0	0	0	0	0	0	0	0	0	0	
	感染地	国内	0	0	0	0	1	3	13	32	28	29	50	48	48
海外		0	0	0	0	10	3	13	22	11	17	12	15	15	
不明		0	0	11	5	0	0	1	2	3	5	12	4	4	
報告地 (ブロック*1)	北海道・東北	0	0	0	1	1	0	2	1	2	2	4	3	3	
	関東・甲信越*2	0	0	5	1	4	1	8	26	18	28	32	34	34	
	東京	0	0	5	2	4	4	10	15	11	11	27	22	22	
	東海	0	0	0	0	1	0	0	4	2	2	2	4	4	
	北陸	0	0	0	0	0	0	2	0	0	0	1	1	1	
	近畿	0	0	0	0	0	1	3	6	6	6	6	6	2	
	中国・四国	0	0	0	1	1	0	1	2	2	1	1	1	1	
	九州	0	0	1	0	0	0	1	2	1	1	1	1	0	
	不明	0	0	0	0	0	0	0	0	0	0	0	0	0	
AIDS	合計		0	0	1	2	3	5	8	17	19	31	49	77	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0
		10-14	0	0	0	0	0	0	0	0	0	0	0	0	0
		15-19	0	0	0	0	0	0	0	0	0	0	0	0	0
		20-24	0	0	0	0	0	0	0	0	0	0	0	0	0
		25-29	0	0	0	0	2	0	0	2	2	1	3	7	7
		30-34	0	0	1	1	0	3	0	2	2	5	4	7	7
		35-39	0	0	0	0	1	1	2	3	3	8	7	9	9
		40-44	0	0	0	0	0	0	2	3	3	5	12	9	9
		45-49	0	0	0	1	0	1	2	1	1	1	12	17	17
		50-54	0	0	0	0	0	0	1	4	4	5	6	13	13
		55-59	0	0	0	0	0	0	1	2	2	1	3	11	11
	60歳以上	0	0	0	0	0	0	0	0	2	5	2	4	4	
	不明	0	0	0	0	0	0	0	0	0	0	0	0	0	
	感染地	国内	0	0	0	0	0	3	4	7	7	11	21	49	49
海外		0	0	0	0	3	2	4	9	9	18	20	18	18	
不明		0	0	1	2	0	0	0	1	3	2	8	10	10	
報告地 (ブロック*1)	北海道・東北	0	0	0	1	1	0	0	1	0	2	3	2	2	
	関東・甲信越*2	0	0	0	1	0	2	2	6	10	10	24	43	43	
	東京	0	0	0	0	0	3	3	4	5	9	11	19	19	
	東海	0	0	0	0	0	0	0	0	3	4	4	7	7	
	北陸	0	0	0	0	0	0	0	2	0	2	1	0	0	
	近畿	0	0	0	0	0	0	0	2	0	2	3	3	3	
	中国・四国	0	0	0	0	2	0	0	1	0	0	1	0	0	
	九州	0	0	1	0	0	0	3	1	1	2	2	3	3	
	不明	0	0	0	0	0	0	0	0	0	0	0	0	0	

*1 ブロック区分については、表10-1を参照。

*2 東京都を除く。

診断区分	項目	区分	1997	1998	1999	2000	2001	2002	2003	合計	合計の%	
HIV	合計		93	91	122	101	126	130	108	1,121	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0.0
		15-19	1	1	1	1	1	1	1	0	10	0.9
		20-24	4	4	10	4	2	3	6		61	5.4
		25-29	14	17	21	9	28	24	15		183	16.3
		30-34	9	16	25	16	24	26	16		198	17.7
		35-39	10	10	12	24	16	14	13		146	13.0
		40-44	15	13	16	8	16	16	15		150	13.4
		45-49	18	10	15	12	8	13	15		137	12.2
		50-54	7	9	12	8	12	14	12		107	9.5
		55-59	8	5	5	10	7	9	8		61	5.4
	60歳以上	7	6	5	9	12	10	8		68	6.1	
不明	0	0	0	0	0	0	0		0	0.0		
感染地	国内	61	69	83	70	101	100	85		773	69.0	
	海外	26	16	24	21	15	17	11		233	20.8	
	不明	6	6	15	10	10	13	12		115	10.3	
報告地 (ブロック*1)	北海道・東北	1	3	3	6	4	7	6		46	4.1	
	関東・甲信越*2	45	36	48	32	44	38	33		433	38.6	
	東京	29	33	46	35	41	47	32		374	33.4	
	東海	9	3	5	8	15	9	7		71	6.3	
	北陸	0	0	2	3	0	1	2		12	1.1	
	近畿	4	10	12	12	16	19	19		122	10.9	
	中国・四国	2	2	3	3	2	5	2		29	2.6	
	九州	3	4	3	2	4	4	7		34	3.0	
AIDS	合計		88	79	114	116	93	97	91	890	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	0	0	0	0	0	0	0	0.0
		20-24	1	0	1	3	3	1	0		9	1.0
		25-29	4	4	6	5	3	3	7		49	5.5
		30-34	8	7	8	10	8	5	11		82	9.2
		35-39	14	7	12	8	15	11	8		109	12.2
		40-44	9	10	17	14	13	17	9		123	13.8
		45-49	15	22	18	20	18	19	16		164	18.4
		50-54	15	10	21	26	13	16	17		151	17.0
		55-59	12	11	13	21	8	15	12		112	12.6
	60歳以上	10	8	18	9	12	10	11		91	10.2	
不明	0	0	0	0	0	0	0		0	0.0		
感染地	国内	49	50	79	79	74	58	64		555	62.4	
	海外	27	23	29	26	14	30	21		253	28.4	
	不明	12	6	6	11	5	9	6		82	9.2	
報告地 (ブロック*1)	北海道・東北	7	4	5	2	1	2	7		38	4.3	
	関東・甲信越*2	40	43	58	59	44	47	36		425	47.8	
	東京	25	19	29	26	27	24	22		226	25.4	
	東海	3	4	8	8	5	4	8		58	6.5	
	北陸	0	1	0	1	0	2	2		11	1.2	
	近畿	9	6	7	13	10	10	9		74	8.3	
	中国・四国	1	1	2	3	2	1	2		16	1.8	
	九州	3	1	5	4	4	7	5		42	4.7	

表9-2 HIV感染者及びAIDS患者の年齢階級別、感染地別、報告地別の年次推移
(日本国籍男性・同性間性的接触)

診断区分	項目	区分	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	
HIV	合計		0	0	20	8	22	16	21	36	41	71	60	90	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0
		10-14	0	0	0	0	0	0	0	0	0	0	0	0	0
		15-19	0	0	0	0	0	0	0	0	1	0	0	1	1
		20-24	0	0	1	4	0	1	1	6	10	9	7	16	
		25-29	0	0	3	1	6	4	3	9	9	14	19	20	
		30-34	0	0	5	1	4	0	3	6	6	8	10	18	
		35-39	0	0	8	0	5	2	1	7	6	11	4	11	
		40-44	0	0	2	1	5	5	7	3	3	15	8	10	
		45-49	0	0	1	0	0	2	1	2	4	6	5	6	
		50-54	0	0	0	0	0	0	0	1	1	2	1	2	
	55-59	0	0	0	1	1	1	1	2	0	0	2	3	3	
	60歳以上	0	0	0	0	1	1	1	3	1	2	4	2	3	
	不明	0	0	0	0	0	0	0	0	0	0	0	0	0	
	感染地	国内	0	0	0	0	11	14	14	26	35	59	53	82	
海外		0	0	0	0	9	1	6	4	3	3	6	2		
不明		0	0	20	8	2	1	1	6	3	9	1	6		
報告地 (ブロック*1)	北海道・東北	0	0	0	0	1	0	0	0	0	0	0	0	0	
	関東・甲信越*2	0	0	3	2	1	2	3	9	5	23	17	24		
	東京	0	0	12	5	17	10	11	20	29	27	29	58		
	東海	0	0	0	1	2	1	3	3	2	3	7	3		
	北陸	0	0	1	0	0	0	0	0	0	0	0	1		
	近畿	0	0	3	0	1	2	2	3	3	9	3	3		
	中国・四国	0	0	1	0	0	1	0	0	1	1	2	0		
	九州	0	0	0	0	0	0	0	2	1	1	8	2	1	
AIDS	合計		5	2	5	5	9	6	12	12	14	40	38	45	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0
		10-14	0	0	0	0	0	0	0	0	0	0	0	0	0
		15-19	0	0	0	0	0	0	0	0	0	0	0	0	0
		20-24	0	0	0	1	1	0	0	0	1	0	2	2	
		25-29	0	0	0	0	3	1	1	1	1	8	3	6	
		30-34	1	1	1	0	2	1	1	3	0	7	6	7	
		35-39	2	1	0	1	0	1	5	1	3	5	3	5	
		40-44	1	0	3	1	3	3	1	4	4	10	5	10	
		45-49	0	0	1	1	0	0	3	2	3	5	12	3	
		50-54	1	0	0	1	0	0	0	0	1	2	6	5	
	55-59	0	0	0	0	0	0	1	0	0	1	1	3		
	60歳以上	0	0	0	0	0	0	0	1	1	2	0	4		
	不明	0	0	0	0	0	0	0	0	0	0	0	0	0	
	感染地	国内	0	0	0	0	2	3	9	8	9	27	26	33	
海外		0	0	0	0	3	3	2	3	3	4	6	4		
不明		5	2	5	5	4	0	1	1	2	9	6	8		
報告地 (ブロック*1)	北海道・東北	0	0	0	1	0	1	0	0	0	1	1	0		
	関東・甲信越*2	0	0	1	1	2	0	1	1	5	5	9	17		
	東京	5	1	4	2	5	3	8	10	4	31	19	21		
	東海	0	0	0	1	1	0	0	0	0	1	5	1		
	北陸	0	0	0	0	0	0	0	0	0	0	0	0		
	近畿	0	1	0	0	1	2	2	1	2	1	4	4		
	中国・四国	0	0	0	0	0	0	0	0	2	0	0	0		
	九州	0	0	0	0	0	0	1	0	1	1	0	2		

*1 ブロック区分については、表10-1を参照。

*2 東京都を除く。

診断区分	項目	区分	1997	1998	1999	2000	2001	2002	2003	合計	合計の%	
HIV	合計		111	122	195	203	300	305	340	1,961	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	1	3	1	3	5	16	16	0.8
		20-24	15	15	23	30	43	37	48	266	266	13.6
		25-29	35	37	50	47	91	91	80	519	519	26.5
		30-34	19	31	36	48	64	75	69	403	403	20.6
		35-39	12	13	24	20	44	30	64	262	262	13.4
		40-44	6	2	21	11	19	24	27	169	169	8.6
		45-49	10	8	22	15	16	16	17	131	131	6.7
		50-54	5	4	6	13	8	13	10	66	66	3.4
		55-59	6	4	6	5	6	9	12	61	61	3.1
		60歳以上	3	8	6	11	8	7	8	68	68	3.5
不明	0	0	0	0	0	0	0	0	0	0.0		
感染地	国内	101	110	183	181	283	286	324	1,762	1,762	89.9	
	海外	5	3	1	6	4	10	7	70	70	3.6	
	不明	5	9	11	16	13	9	9	129	129	6.6	
報告地 (ブロック*1)	北海道・東北	1	5	4	6	8	5	6	36	36	1.8	
	関東・甲信越*2	21	32	35	23	28	26	37	291	291	14.8	
	東京	66	58	112	123	163	173	171	1,084	1,084	55.3	
	東海	6	7	7	10	24	24	29	132	132	6.7	
	北陸	1	0	0	0	4	4	0	11	11	0.6	
	近畿	15	18	25	31	58	54	73	303	303	15.5	
	中国・四国	0	1	2	6	8	6	13	42	42	2.1	
	九州	1	1	10	4	7	13	11	62	62	3.2	
AIDS	合計		33	44	53	66	83	81	91	644	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	0	0	0	0	0	0	0	0.0
		20-24	2	1	2	3	2	1	5	23	23	3.6
		25-29	4	3	4	7	13	8	10	73	73	11.3
		30-34	4	6	12	13	23	13	15	116	116	18.0
		35-39	6	5	4	11	9	15	22	99	99	15.4
		40-44	5	6	10	3	9	8	7	93	93	14.4
		45-49	5	9	9	10	11	3	10	87	87	13.5
		50-54	6	5	8	8	7	16	12	78	78	12.1
		55-59	0	6	1	4	5	7	4	33	33	5.1
60歳以上		1	3	3	7	4	10	6	42	42	6.5	
不明	0	0	0	0	0	0	0	0	0	0.0		
感染地	国内	29	39	49	61	74	78	85	532	532	82.6	
	海外	2	2	4	2	4	2	1	45	45	7.0	
	不明	2	3	0	3	5	1	5	67	67	10.4	
報告地 (ブロック*1)	北海道・東北	1	2	1	0	3	2	3	16	16	2.5	
	関東・甲信越*2	11	13	13	18	17	21	18	153	153	23.8	
	東京	17	20	24	35	36	38	43	326	326	50.6	
	東海	0	3	3	2	7	6	6	36	36	5.6	
	北陸	0	0	0	0	0	0	0	0	0	0.0	
	近畿	4	6	10	5	13	11	10	77	77	12.0	
	中国・四国	0	0	0	1	1	2	5	11	11	1.7	
	九州	0	0	2	5	6	1	6	25	25	3.9	

表9-3 HIV感染者及びAIDS患者の年齢階級別、感染地別、報告地別の年次推移
(日本国籍女性・異性間性的接触)

診断区分	項目	区分	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	
HIV	合計		0	0	6	1	14	5	16	14	15	31	16	35	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0
		10-14	0	0	0	0	0	0	0	0	0	0	0	0	0
		15-19	0	0	0	0	0	0	0	1	3	1	3	2	0
		20-24	0	0	3	1	4	2	3	4	4	1	6	3	7
		25-29	0	0	1	0	6	1	7	3	6	6	11	2	14
		30-34	0	0	2	0	2	0	3	2	4	3	3	2	4
		35-39	0	0	0	0	1	0	0	1	1	1	3	3	2
		40-44	0	0	0	0	0	2	1	1	1	0	2	0	1
		45-49	0	0	0	0	0	0	0	0	0	1	0	1	2
		50-54	0	0	0	0	0	0	0	1	0	0	2	2	3
		55-59	0	0	0	0	1	0	0	0	0	1	1	0	2
	60歳以上	0	0	0	0	0	0	0	0	0	0	0	1	0	
	不明	0	0	0	0	0	0	0	0	0	0	0	0	0	
	感染地	国内	0	0	0	0	7	2	15	11	11	11	24	11	26
海外		0	0	0	0	3	3	1	2	4	4	4	3	7	
不明		0	0	6	1	4	0	0	1	0	3	2	2	2	
報告地 (ブロック*1)	北海道・東北	0	0	0	0	1	0	1	1	3	0	0	0	3	
	関東・甲信越*2	0	0	2	0	5	1	4	3	6	12	7	14		
	東京	0	0	3	1	7	3	3	2	3	4	5	14		
	東海	0	0	0	0	0	0	2	1	0	5	1	1		
	北陸	0	0	0	0	0	0	1	0	0	1	1	0		
	近畿	0	0	0	0	0	0	2	2	1	7	1	3		
	中国・四国	0	0	1	0	1	0	2	2	0	1	1	0		
	九州	0	0	0	0	0	1	1	3	2	1	0	0		
AIDS	合計		0	0	2	2	1	1	0	1	3	3	10	8	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0
		10-14	0	0	0	0	0	0	0	0	0	0	0	0	0
		15-19	0	0	0	0	0	0	0	0	0	0	0	0	0
		20-24	0	0	0	0	0	0	0	0	1	0	0	1	1
		25-29	0	0	1	1	1	0	0	0	0	0	1	1	2
		30-34	0	0	0	1	0	0	0	0	2	1	1	1	
		35-39	0	0	0	0	0	1	0	0	0	0	0	1	1
		40-44	0	0	1	0	0	0	0	0	1	0	1	1	
		45-49	0	0	0	0	0	0	0	0	0	0	0	1	0
		50-54	0	0	0	0	0	0	0	0	0	0	1	2	0
		55-59	0	0	0	0	0	0	0	0	0	0	0	0	0
	60歳以上	0	0	0	0	0	0	0	0	0	0	0	2	2	
	不明	0	0	0	0	0	0	0	0	0	0	0	0	0	
	感染地	国内	0	0	0	0	0	1	0	1	1	3	7	6	
海外		0	0	0	0	0	0	0	0	2	0	3	2		
不明		0	0	2	2	1	0	0	0	0	0	0	0		
報告地 (ブロック*1)	北海道・東北	0	0	0	0	0	0	0	0	0	0	2	2		
	関東・甲信越*2	0	0	0	0	0	0	0	0	1	2	3	1		
	東京	0	0	1	0	0	1	0	0	0	0	1	1		
	東海	0	0	0	0	0	0	0	0	1	0	2	0		
	北陸	0	0	0	0	0	0	0	0	0	0	0	0		
	近畿	0	0	1	0	1	0	0	1	0	0	1	3		
	中国・四国	0	0	0	1	0	0	0	0	1	1	0	0		
	九州	0	0	0	1	0	0	0	0	0	0	1	1		

*1 ブロック区分については、表10-1を参照。

*2 東京都を除く。

診断区分	項目	区分	1997	1998	1999	2000	2001	2002	2003	合計	合計の%	
HIV	合計		29	34	38	26	38	30	24	372	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0.0
		15-19	2	3	2	0	4	1	2	2	24	6.5
		20-24	7	5	6	5	12	4	2	75	20.2	
		25-29	5	10	8	8	3	4	6	95	25.5	
		30-34	4	2	8	4	6	5	3	54	14.5	
		35-39	2	4	2	2	4	5	5	35	9.4	
		40-44	2	1	1	1	3	5	1	21	5.6	
		45-49	0	4	3	2	2	2	1	18	4.8	
		50-54	3	2	3	1	3	0	1	21	5.6	
		55-59	0	2	4	3	1	4	2	21	5.6	
	60歳以上	4	1	1	0	0	0	1	8	2.2		
	不明	0	0	0	0	0	0	0	0	0.0		
感染地	国内	25	25	33	20	32	21	18	281	75.5		
	海外	2	5	3	5	6	4	2	54	14.5		
	不明	2	4	2	1	0	5	4	37	9.9		
報告地 (ブロック*1)	北海道・東北	1	2	1	0	6	3	3	25	6.7		
	関東・甲信越*2	16	15	24	9	12	7	7	144	38.7		
	東京	7	9	6	9	13	10	7	106	28.5		
	東海	3	1	0	3	5	7	2	31	8.3		
	北陸	0	0	0	1	0	0	0	4	1.1		
	近畿	1	4	2	1	0	1	3	28	7.5		
	中国・四国	0	1	1	1	0	0	1	12	3.2		
	九州	1	2	4	2	2	2	1	22	5.9		
AIDS	合計		9	6	7	15	14	12	13	107	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	1	0	0	0	0	1	0.9	
		20-24	1	0	0	0	0	0	1	5	4.7	
		25-29	1	1	4	1	4	2	1	21	19.6	
		30-34	3	0	0	1	2	1	1	14	13.1	
		35-39	1	4	0	1	3	2	5	19	17.8	
		40-44	0	0	1	4	1	2	1	13	12.1	
		45-49	1	0	0	1	2	0	1	6	5.6	
		50-54	2	0	1	1	1	0	1	9	8.4	
		55-59	0	1	0	3	1	2	1	8	7.5	
	60歳以上	0	0	0	3	0	3	1	11	10.3		
	不明	0	0	0	0	0	0	0	0	0.0		
感染地	国内	5	3	5	13	7	10	12	74	69.2		
	海外	3	3	2	1	5	2	0	23	21.5		
	不明	1	0	0	1	2	0	1	10	9.3		
報告地 (ブロック*1)	北海道・東北	0	0	0	0	2	2	0	8	7.5		
	関東・甲信越*2	5	4	3	9	4	6	9	47	43.9		
	東京	3	1	3	2	3	2	2	20	18.7		
	東海	0	1	1	0	2	1	2	10	9.3		
	北陸	1	0	0	0	0	0	0	1	0.9		
	近畿	0	0	0	0	3	0	0	10	9.3		
	中国・四国	0	0	0	1	0	1	0	5	4.7		
	九州	0	0	0	3	0	0	0	6	5.6		

表9-4 HIV感染者及びAIDS患者の年齢階級別、感染地別、報告地別の年次推移
(外国国籍男性・異性間性的接触)

診断区分	項目	区分	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	
HIV	合計		0	0	4	0	6	3	10	13	15	15	18	25	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	
		10-14	0	0	0	0	0	0	0	0	0	0	0	0	
		15-19	0	0	0	0	0	0	0	0	0	0	0	0	
		20-24	0	0	0	0	0	0	2	5	1	4	1	1	
		25-29	0	0	0	0	2	1	2	2	6	4	5	5	
		30-34	0	0	0	0	2	2	3	3	6	4	7	12	
		35-39	0	0	2	0	0	0	2	2	0	1	3	6	
		40-44	0	0	2	0	1	0	1	1	2	2	1	0	
		45-49	0	0	0	0	1	0	0	0	0	0	0	1	
		50-54	0	0	0	0	0	0	0	0	0	0	0	0	
		55-59	0	0	0	0	0	0	0	0	0	0	0	0	
		60歳以上	0	0	0	0	0	0	0	0	0	0	0	0	
		不明	0	0	0	0	0	0	0	0	0	0	1	0	
	感染地	国内		0	0	0	0	0	0	1	1	2	3	2	7
		海外		0	0	0	0	5	3	9	9	11	9	14	14
		不明		0	0	4	0	1	0	0	3	2	3	2	4
	報告地 (ブロック*1)	北海道・東北		0	0	0	0	0	0	0	0	0	0	0	0
		関東・甲信越*2		0	0	1	0	0	0	0	7	4	5	9	12
		東京		0	0	3	0	4	3	4	4	10	5	5	6
東海			0	0	0	0	2	0	3	0	1	1	1	6	
北陸			0	0	0	0	0	0	0	0	0	0	1	0	
近畿			0	0	0	0	0	0	2	2	0	2	2	1	
中国・四国			0	0	0	0	0	0	1	0	0	0	0	0	
九州			0	0	0	0	0	0	0	0	0	2	0	0	
AIDS	合計		0	0	0	2	0	2	1	3	7	8	12	25	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	
		10-14	0	0	0	0	0	0	0	0	0	0	0	0	
		15-19	0	0	0	0	0	0	0	0	0	0	0	0	
		20-24	0	0	0	2	0	0	0	0	0	1	0	1	
		25-29	0	0	0	0	0	1	0	1	1	1	3	12	
		30-34	0	0	0	0	0	0	0	2	4	3	3	7	
		35-39	0	0	0	0	0	0	1	0	0	0	3	3	
		40-44	0	0	0	0	0	0	0	0	1	2	1	0	
		45-49	0	0	0	0	0	1	0	0	1	1	1	2	
		50-54	0	0	0	0	0	0	0	0	0	0	0	0	
		55-59	0	0	0	0	0	0	0	0	0	0	1	0	
		60歳以上	0	0	0	0	0	0	0	0	0	0	0	0	
		不明	0	0	0	0	0	0	0	0	0	0	0	0	
	感染地	国内		0	0	0	0	0	0	0	0	0	1	0	2
		海外		0	0	0	0	0	1	1	2	7	4	8	18
		不明		0	0	0	2	0	1	0	1	0	3	4	5
	報告地 (ブロック*1)	北海道・東北		0	0	0	1	0	0	0	0	0	0	0	0
		関東・甲信越*2		0	0	0	0	0	0	1	3	3	5	9	
		東京		0	0	0	1	0	1	0	1	2	1	4	10
東海			0	0	0	0	0	0	1	1	2	4	3	6	
北陸			0	0	0	0	0	0	0	0	0	0	0	0	
近畿			0	0	0	0	0	1	0	0	0	0	0	0	
中国・四国			0	0	0	0	0	0	0	0	0	0	0	0	
九州			0	0	0	0	0	0	0	0	0	0	0	0	

*1 ブロック区分については、表10-1を参照。

*2 東京都を除く。

診断区分	項目	区分	1997	1998	1999	2000	2001	2002	2003	合計	合計の%	
HIV	合計		15	18	12	16	25	19	18	232	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	0	0	0	0	0	0	0	0.0
		20-24	1	0	0	3	0	0	1		19	8.2
		25-29	4	5	6	2	3	1	5		53	22.8
		30-34	4	8	2	6	10	5	5		79	34.1
		35-39	3	3	1	5	4	8	3		43	18.5
		40-44	3	2	1	0	3	0	2		21	9.1
		45-49	0	0	2	0	3	1	1		9	3.9
		50-54	0	0	0	0	2	2	1		5	2.2
		55-59	0	0	0	0	0	1	0		1	0.4
		60歳以上	0	0	0	0	0	0	1	0	1	0.4
不明	0	0	0	0	0	0	0	0	1	0.4		
感染地	国内	3	5	5	3	11	6	7		56	24.1	
	海外	9	7	3	6	8	11	5		123	53.0	
	不明	3	6	4	7	6	2	6		53	22.8	
報告地 (ブロック*1)	北海道・東北	1	0	0	0	0	2	1		4	1.7	
	関東・甲信越*2	10	7	4	5	10	7	4		85	36.6	
	東京	2	5	6	7	9	6	6		85	36.6	
	東海	0	3	0	3	5	3	3		31	13.4	
	北陸	0	0	0	1	0	0	0		2	0.9	
	近畿	2	3	2	0	0	1	3		20	8.6	
	中国・四国	0	0	0	0	1	0	1		3	1.3	
	九州	0	0	0	0	0	0	0		2	0.9	
AIDS	合計		15	13	23	15	18	11	15	170	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	0	0	0	0	0	0	0	0.0
		20-24	1	0	0	1	0	0	0		6	3.5
		25-29	1	2	3	1	0	1	2		29	17.1
		30-34	10	4	8	6	2	3	4		56	32.9
		35-39	2	3	7	4	5	5	2		35	20.6
		40-44	0	3	2	1	8	1	3		22	12.9
		45-49	1	0	0	1	2	1	4		15	8.8
		50-54	0	1	1	1	1	0	0		4	2.4
		55-59	0	0	2	0	0	0	0		3	1.8
		60歳以上	0	0	0	0	0	0	0	0	0	0.0
不明	0	0	0	0	0	0	0	0	0	0.0		
感染地	国内	2	0	5	2	3	1	3		19	11.2	
	海外	9	10	16	7	9	7	6		105	61.8	
	不明	4	3	2	6	6	3	6		46	27.1	
報告地 (ブロック*1)	北海道・東北	0	0	1	0	0	0	0		2	1.2	
	関東・甲信越*2	10	7	10	8	11	7	6		80	47.1	
	東京	3	1	8	3	3	0	6		44	25.9	
	東海	2	1	1	2	1	2	2		28	16.5	
	北陸	0	0	1	0	1	0	0		2	1.2	
	近畿	0	3	2	2	2	0	0		10	5.9	
	中国・四国	0	0	0	0	0	0	1		1	0.6	
	九州	0	1	0	0	0	0	2	0	3	1.8	

表9-5 HIV感染者及びAIDS患者の年齢階級別、感染地別、報告地別の年次推移
(外国国籍男性・同性間性的接触)

診断区分	項目	区分	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	
HIV	合計		0	0	5	4	13	4	4	8	4	6	8	12	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	
		10-14	0	0	0	0	0	0	0	0	0	0	0	0	
		15-19	0	0	0	0	0	0	0	0	0	0	0	0	
		20-24	0	0	0	0	1	0	0	1	0	0	2	1	
		25-29	0	0	1	1	2	2	1	1	0	2	3	4	
		30-34	0	0	2	1	1	0	0	1	1	1	2	3	
		35-39	0	0	0	0	2	0	0	3	3	1	1	2	
		40-44	0	0	1	2	4	0	1	1	0	2	0	1	
		45-49	0	0	0	0	2	0	2	1	0	0	0	0	
		50-54	0	0	1	0	0	1	0	0	0	0	0	0	
		55-59	0	0	0	0	0	1	0	0	0	0	0	1	
		60歳以上	0	0	0	0	1	0	0	0	0	0	0	0	
		不明	0	0	0	0	0	0	0	0	0	0	0	0	
	感染地	国内		0	0	0	0	0	0	0	0	0	0	2	2
		海外		0	0	0	0	6	4	4	8	3	5	1	2
		不明		0	0	5	4	7	0	0	0	1	1	5	8
	報告地 (ブロック*1)	北海道・東北		0	0	0	0	0	0	0	0	0	1	0	0
		関東・甲信越*2		0	0	0	0	0	1	0	3	0	1	1	4
		東京		0	0	4	3	12	2	3	3	4	3	5	7
		東海		0	0	0	0	0	0	0	0	0	0	2	1
		北陸		0	0	0	0	0	0	0	0	0	0	0	0
		近畿		0	0	1	1	1	1	0	0	0	1	0	0
		中国・四国		0	0	0	0	0	0	1	2	0	0	0	0
		九州		0	0	0	0	0	0	0	0	0	0	0	0
			不明		0	0	0	0	0	0	0	0	0	0	0
	AIDS	合計		1	2	3	1	3	4	6	2	2	5	2	4
年齢		10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	
		10-14	0	0	0	0	0	0	0	0	0	0	0	0	
		15-19	0	0	0	0	0	0	0	0	0	0	0	0	
		20-24	0	0	0	1	0	0	0	0	0	0	0	2	
		25-29	0	0	1	0	0	0	0	1	0	2	0	1	
		30-34	1	1	2	0	1	2	3	1	1	2	1	1	
		35-39	0	0	0	0	1	0	2	0	1	0	0	0	
		40-44	0	0	0	0	0	1	1	0	0	0	0	0	
		45-49	0	0	0	0	1	1	0	0	0	1	1	0	
		50-54	0	1	0	0	0	0	0	0	0	0	0	0	
		55-59	0	0	0	0	0	0	0	0	0	0	0	0	
		60歳以上	0	0	0	0	0	0	0	0	0	0	0	0	
		不明	0	0	0	0	0	0	0	0	0	0	0	0	
感染地		国内		0	0	0	0	0	1	0	0	0	0	0	0
		海外		0	0	0	0	0	1	6	2	2	3	0	4
		不明		1	2	3	1	3	2	0	0	0	2	2	0
報告地 (ブロック*1)		北海道・東北		0	0	0	0	0	0	0	0	0	0	0	0
		関東・甲信越*2		0	0	1	1	0	0	0	0	0	1	1	1
		東京		1	2	2	0	2	4	4	0	2	3	1	1
		東海		0	0	0	0	0	0	1	0	0	0	0	2
		北陸		0	0	0	0	0	0	0	0	0	1	0	0
		近畿		0	0	0	0	0	0	0	1	0	0	0	0
		中国・四国		0	0	0	0	0	0	1	0	0	0	0	0
		九州		0	0	0	0	1	0	0	1	0	0	0	0
			不明		0	0	0	0	0	0	0	0	0	0	0

*1 ブロック区分については、表10-1を参照。

*2 東京都を除く。

診断区分	項目	区分	1997	1998	1999	2000	2001	2002	2003	合計	合計の%	
HIV	合計		10	12	6	15	13	24	16	164	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0.0	
		10-14	0	0	0	0	0	0	0	0	0.0	
		15-19	0	0	0	0	0	0	0	0	0.0	
		20-24	1	1	1	1	0	1	1	11	6.7	
		25-29	3	5	3	4	3	9	2	46	28.0	
		30-34	5	5	0	4	4	2	4	36	22.0	
		35-39	0	1	1	2	4	6	5	31	18.9	
		40-44	0	0	1	4	1	2	4	24	14.6	
		45-49	1	0	0	0	0	2	0	8	4.9	
		50-54	0	0	0	0	1	2	0	5	3.0	
		55-59	0	0	0	0	0	0	0	2	1.2	
		60歳以上	0	0	0	0	0	0	0	1	0.6	
		不明	0	0	0	0	0	0	0	0	0.0	
		感染地	国内	5	8	2	7	12	16	9	63	38.4
			海外	4	2	2	3	0	4	0	48	29.3
			不明	1	2	2	5	1	4	7	53	32.3
		報告地	北海道・東北	0	0	0	0	0	2	0	3	1.8
		(ブロック*1)	関東・甲信越*2	2	0	2	2	2	2	3	23	14.0
			東京	6	8	3	12	10	15	9	109	66.5
		東海	1	1	0	1	1	1	1	9	5.5	
		北陸	0	0	0	0	0	0	0	0	0.0	
		近畿	1	3	1	0	0	4	2	16	9.8	
		中国・四国	0	0	0	0	0	0	1	4	2.4	
		九州	0	0	0	0	0	0	0	0	0.0	
AIDS	合計		2	2	2	7	7	2	4	61	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0.0	
		10-14	0	0	0	0	0	0	0	0	0.0	
		15-19	0	0	0	0	0	0	0	0	0.0	
		20-24	0	0	0	0	0	0	0	3	4.9	
		25-29	1	0	1	1	0	0	0	8	13.1	
		30-34	1	1	0	1	0	0	1	20	32.8	
		35-39	0	0	1	2	4	1	1	13	21.3	
		40-44	0	1	0	1	1	0	0	5	8.2	
		45-49	0	0	0	0	0	1	1	6	9.8	
		50-54	0	0	0	1	1	0	0	3	4.9	
		55-59	0	0	0	1	0	0	1	2	3.3	
		60歳以上	0	0	0	0	1	0	0	1	1.6	
		不明	0	0	0	0	0	0	0	0	0.0	
		感染地	国内	0	1	1	0	5	1	3	12	19.7
			海外	2	1	1	4	2	0	0	28	45.9
			不明	0	0	0	3	0	1	1	21	34.4
		報告地	北海道・東北	0	0	0	0	0	0	0	0	0.0
		(ブロック*1)	関東・甲信越*2	0	0	0	5	3	1	1	15	24.6
			東京	1	2	2	0	3	1	2	33	54.1
		東海	1	0	0	1	0	0	0	5	8.2	
		北陸	0	0	0	0	1	0	0	2	3.3	
		近畿	0	0	0	1	0	0	1	3	4.9	
		中国・四国	0	0	0	0	0	0	0	1	1.6	
		九州	0	0	0	0	0	0	0	2	3.3	

表9-6 HIV感染者及びAIDS患者の年齢階級別、感染地別、報告地別の年次推移
(外国国籍女性・異性間性的接触)

診断区分	項目	区分	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	
HIV	合計		0	0	0	0	5	12	61	149	64	51	39	42	
		年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0
			10-14	0	0	0	0	0	0	0	0	0	0	0	0
			15-19	0	0	0	0	1	2	13	20	6	3	3	3
			20-24	0	0	0	0	2	4	39	81	35	15	16	11
			25-29	0	0	0	0	1	3	5	41	16	26	14	15
			30-34	0	0	0	0	0	2	2	4	6	5	5	10
			35-39	0	0	0	0	0	0	1	1	1	1	1	2
			40-44	0	0	0	0	0	0	0	0	0	1	0	1
			45-49	0	0	0	0	0	0	0	0	0	0	0	0
			50-54	0	0	0	0	0	0	0	0	0	0	0	0
			55-59	0	0	0	0	0	0	0	0	0	0	0	0
			60歳以上	0	0	0	0	0	0	0	0	0	0	0	0
			不明	0	0	0	0	1	1	1	2	0	0	0	0
		感染地	国内	0	0	0	0	0	0	2	4	10	14	12	14
			海外	0	0	0	0	2	7	50	96	26	11	10	11
			不明	0	0	0	0	3	5	9	49	28	26	17	17
		報告地 (ブロック*1)	北海道・東北	0	0	0	0	0	0	0	0	0	0	0	0
			関東・甲信越*2	0	0	0	0	3	6	55	98	44	41	20	30
			東京	0	0	0	0	2	5	3	37	14	7	13	6
東海	0		0	0	0	0	1	3	9	4	1	5	5		
北陸	0		0	0	0	0	0	0	0	1	1	0	0		
近畿	0		0	0	0	0	0	0	5	1	1	1	1		
中国・四国	0		0	0	0	0	0	0	0	0	0	0	0		
九州	0		0	0	0	0	0	0	0	0	0	0	0		
	不明		0	0	0	0	0	0	0	0	0	0	0		
AIDS	合計		0	0	2	0	0	0	0	0	5	4	9	8	
		年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0
			10-14	0	0	0	0	0	0	0	0	0	0	0	0
			15-19	0	0	0	0	0	0	0	0	1	0	1	0
			20-24	0	0	0	0	0	0	0	0	2	1	1	0
			25-29	0	0	1	0	0	0	0	0	2	2	5	3
			30-34	0	0	1	0	0	0	0	0	0	0	1	2
			35-39	0	0	0	0	0	0	0	0	0	1	1	1
			40-44	0	0	0	0	0	0	0	0	0	0	0	2
			45-49	0	0	0	0	0	0	0	0	0	0	0	0
			50-54	0	0	0	0	0	0	0	0	0	0	0	0
			55-59	0	0	0	0	0	0	0	0	0	0	0	0
			60歳以上	0	0	0	0	0	0	0	0	0	0	0	0
			不明	0	0	0	0	0	0	0	0	0	0	0	0
		感染地	国内	0	0	0	0	0	0	0	0	1	0	1	1
			海外	0	0	0	0	0	0	0	0	1	1	4	4
			不明	0	0	2	0	0	0	0	0	3	3	4	3
		報告地 (ブロック*1)	北海道・東北	0	0	0	0	0	0	0	0	0	0	0	0
			関東・甲信越*2	0	0	1	0	0	0	0	0	4	3	4	5
			東京	0	0	1	0	0	0	0	0	0	1	2	2
東海	0		0	0	0	0	0	0	0	0	0	3	1		
北陸	0		0	0	0	0	0	0	0	0	0	0	0		
近畿	0		0	0	0	0	0	0	0	1	0	0	0		
中国・四国	0		0	0	0	0	0	0	0	0	0	0	0		
九州	0		0	0	0	0	0	0	0	0	0	0	0		
	不明		0	0	0	0	0	0	0	0	0	0	0		

*1 ブロック区分については、表10-1を参照。

*2 東京都を除く。

診断区分	項目	区分	1997	1998	1999	2000	2001	2002	2003	合計	合計の%	
HIV	合計		49	36	35	26	24	24	28	645	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0.0
		15-19	0	1	0	0	0	1	0	0	53	8.2
		20-24	10	8	5	4	6	4	4	4	244	37.8
		25-29	20	10	12	13	4	7	9	9	196	30.4
		30-34	13	11	9	7	7	4	9	9	94	14.6
		35-39	4	4	5	2	2	6	2	2	32	5.0
		40-44	2	0	3	0	2	0	2	2	11	1.7
		45-49	0	0	1	0	3	2	1	1	7	1.1
		50-54	0	0	0	0	0	0	0	1	1	0.2
		55-59	0	1	0	0	0	0	0	0	1	0.2
	60歳以上	0	0	0	0	0	0	0	0	0	0.0	
不明	0	1	0	0	0	0	0	0	6	0.9		
感染地	国内	15	15	12	5	6	11	10	10	130	20.2	
	海外	13	10	11	7	8	7	12	12	281	43.6	
	不明	21	11	12	14	10	6	6	6	234	36.3	
報告地 (ブロック*1)	北海道・東北	1	0	0	0	0	0	0	0	1	0.2	
	関東・甲信越*2	27	19	19	16	14	13	13	13	418	64.8	
	東京	12	8	11	4	7	1	8	8	138	21.4	
	東海	3	4	2	5	1	5	2	2	50	7.8	
	北陸	0	0	1	1	0	0	1	1	5	0.8	
	近畿	5	4	1	0	0	4	2	2	25	3.9	
	中国・四国	1	0	0	0	2	1	1	1	5	0.8	
	九州	0	1	1	0	0	0	0	1	3	0.5	
AIDS	合計		14	6	21	16	14	13	12	124	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	0	0	0	0	0	0	2	1.6
		20-24	4	0	5	1	0	1	1	1	16	12.9
		25-29	4	2	5	5	5	3	2	2	39	31.5
		30-34	4	2	7	2	5	5	3	3	32	25.8
		35-39	1	2	2	5	3	2	5	5	23	18.5
		40-44	1	0	1	3	0	1	1	1	9	7.3
		45-49	0	0	1	0	1	1	0	0	3	2.4
		50-54	0	0	0	0	0	0	0	0	0	0.0
		55-59	0	0	0	0	0	0	0	0	0	0.0
	60歳以上	0	0	0	0	0	0	0	0	0	0.0	
不明	0	0	0	0	0	0	0	0	0	0.0		
感染地	国内	3	1	3	1	4	3	1	1	19	15.3	
	海外	6	4	14	9	5	3	5	5	56	45.2	
	不明	5	1	4	6	5	7	6	6	49	39.5	
報告地 (ブロック*1)	北海道・東北	0	0	0	0	0	0	1	1	1	0.8	
	関東・甲信越*2	11	3	12	10	8	9	5	5	75	60.5	
	東京	2	1	6	4	2	4	4	4	29	23.4	
	東海	0	0	3	2	1	0	2	2	12	9.7	
	北陸	0	0	0	0	0	0	0	0	0	0.0	
	近畿	1	2	0	0	3	0	0	0	7	5.6	
	中国・四国	0	0	0	0	0	0	0	0	0	0.0	
	九州	0	0	0	0	0	0	0	0	0	0.0	