

表9-1 HIV感染者及びAIDS患者の年齢階級別、感染地別、報告地別の年次推移

(日本国籍男性・異性間性的接触)

診断区分	項目	区分	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	
HIV	合計		0	0	11	5	11	6	27	56	42	51	74	67	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0
		10-14	0	0	0	0	0	0	0	0	0	0	0	0	0
		15-19	0	0	0	0	0	0	0	1	1	0	1	0	1
		20-24	0	0	1	0	0	1	3	6	8	2	3	4	4
		25-29	0	0	6	2	2	0	5	6	5	4	16	9	9
		30-34	0	0	2	2	3	2	5	4	6	12	14	16	16
		35-39	0	0	1	0	2	2	4	11	3	8	7	9	9
		40-44	0	0	0	1	0	1	2	13	9	8	6	11	11
		45-49	0	0	1	0	1	0	5	5	6	10	12	6	6
		50-54	0	0	0	0	1	0	2	6	4	2	12	6	6
		55-59	0	0	0	0	0	0	0	2	1	2	2	2	2
		60歳以上	0	0	0	0	2	0	0	2	0	2	2	2	3
		不明	0	0	0	0	0	0	0	0	0	0	0	0	0
感染地	国内	0	0	0	0	1	3	13	32	28	29	50	48	48	
	海外	0	0	0	0	10	3	13	22	11	17	12	15	15	
	不明	0	0	11	5	0	0	1	2	3	5	12	4	4	
報告地 (ブロック*1)	北海道・東北	0	0	0	1	1	0	2	1	2	2	4	3	3	
	関東・甲信越*2	0	0	5	1	4	1	8	26	18	28	32	34	34	
	東京	0	0	5	2	4	4	10	15	11	11	27	22	22	
	東海	0	0	0	0	1	0	0	4	2	2	2	4	4	
	北陸	0	0	0	0	0	0	2	0	0	0	1	1	1	
	近畿	0	0	0	0	0	1	3	6	6	6	6	6	2	
	中国・四国	0	0	0	1	1	0	1	2	2	1	1	1	1	
	九州	0	0	1	0	0	0	1	2	1	1	1	1	0	
AIDS	合計		0	0	1	2	3	5	8	17	19	31	49	77	
年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10-14	0	0	0	0	0	0	0	0	0	0	0	0	0	
	15-19	0	0	0	0	0	0	0	0	0	0	0	0	0	
	20-24	0	0	0	0	0	0	0	0	0	0	0	0	0	
	25-29	0	0	0	0	2	0	0	2	2	1	3	7	7	
	30-34	0	0	1	1	0	3	0	2	2	5	4	7	7	
	35-39	0	0	0	0	1	1	2	3	3	8	7	9	9	
	40-44	0	0	0	0	0	0	2	3	3	5	12	9	9	
	45-49	0	0	0	1	0	1	2	1	1	1	12	17	17	
	50-54	0	0	0	0	0	0	1	4	4	5	6	13	13	
	55-59	0	0	0	0	0	0	1	2	2	1	3	11	11	
	60歳以上	0	0	0	0	0	0	0	0	2	5	2	4	4	
	不明	0	0	0	0	0	0	0	0	0	0	0	0	0	
感染地	国内	0	0	0	0	0	3	4	7	7	11	21	49	49	
	海外	0	0	0	0	3	2	4	9	9	18	20	18	18	
	不明	0	0	1	2	0	0	0	1	3	2	8	10	10	
報告地 (ブロック*1)	北海道・東北	0	0	0	1	1	0	0	1	0	2	3	2	2	
	関東・甲信越*2	0	0	0	1	0	2	2	6	10	10	24	43	43	
	東京	0	0	0	0	0	3	3	4	5	9	11	19	19	
	東海	0	0	0	0	0	0	0	0	3	4	4	7	7	
	北陸	0	0	0	0	0	0	0	2	0	2	1	0	0	
	近畿	0	0	0	0	0	0	0	2	0	2	3	3	3	
	中国・四国	0	0	0	0	2	0	0	1	0	0	1	0	0	
	九州	0	0	1	0	0	0	3	1	1	2	2	3	3	

*1 ブロック区分については、表10-1を参照。

*2 東京都を除く。

診断区分	項目	区分	1997	1998	1999	2000	2001	2002	2003	2004	合計	合計の%	
HIV	合計		93	91	122	101	126	130	108	122	1,243	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0	0.0
		15-19	1	1	1	1	1	1	1	0	0	10	0.8
		20-24	4	4	10	4	2	3	6	11	72	5.8	
		25-29	14	17	21	9	28	24	15	15	198	15.9	
		30-34	9	16	25	16	24	26	16	30	228	18.3	
		35-39	10	10	12	24	16	14	13	9	155	12.5	
		40-44	15	13	16	8	16	16	15	10	160	12.9	
		45-49	18	10	15	12	8	13	15	17	154	12.4	
		50-54	7	9	12	8	12	14	12	11	118	9.5	
		55-59	8	5	5	10	7	9	8	11	72	5.8	
		60歳以上	7	6	5	9	12	10	8	8	76	6.1	
		不明	0	0	0	0	0	0	0	0	0	0.0	
感染地	国内	61	69	83	70	101	100	85	101	874	70.3		
	海外	26	16	24	21	15	17	11	14	247	19.9		
	不明	6	6	15	10	10	13	12	7	122	9.8		
報告地 (ブロック*1)	北海道・東北	1	3	3	6	4	7	6	7	53	4.3		
	関東・甲信越*2	45	36	48	32	44	38	33	34	467	37.6		
	東京	29	33	46	35	41	47	32	41	415	33.4		
	東海	9	3	5	8	15	9	7	9	80	6.4		
	北陸	0	0	2	3	0	1	2	1	13	1.0		
	近畿	4	10	12	12	16	19	19	18	140	11.3		
	中国・四国	2	2	3	3	2	5	2	5	34	2.7		
	九州	3	4	3	2	4	4	7	7	41	3.3		
AIDS	合計	88	79	114	116	93	97	91	99	989	100		
年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0.0	
	10-14	0	0	0	0	0	0	0	0	0	0	0.0	
	15-19	0	0	0	0	0	0	0	0	0	0	0.0	
	20-24	1	0	1	3	3	1	0	1	10	1.0		
	25-29	4	4	6	5	3	3	7	7	56	5.7		
	30-34	8	7	8	10	8	5	11	6	88	8.9		
	35-39	14	7	12	8	15	11	8	16	125	12.6		
	40-44	9	10	17	14	13	17	9	12	135	13.7		
	45-49	15	22	18	20	18	19	16	19	183	18.5		
	50-54	15	10	21	26	13	16	17	15	166	16.8		
	55-59	12	11	13	21	8	15	12	12	124	12.5		
	60歳以上	10	8	18	9	12	10	11	11	102	10.3		
	不明	0	0	0	0	0	0	0	0	0	0.0		
感染地	国内	49	50	79	79	74	58	64	79	634	64.1		
	海外	27	23	29	26	14	30	21	14	267	27.0		
	不明	12	6	6	11	5	9	6	6	88	8.9		
報告地 (ブロック*1)	北海道・東北	7	4	5	2	1	2	7	3	41	4.1		
	関東・甲信越*2	40	43	58	59	44	47	36	42	467	47.2		
	東京	25	19	29	26	27	24	22	22	248	25.1		
	東海	3	4	8	8	5	4	8	5	63	6.4		
	北陸	0	1	0	1	0	2	2	1	12	1.2		
	近畿	9	6	7	13	10	10	9	17	91	9.2		
	中国・四国	1	1	2	3	2	1	2	6	22	2.2		
	九州	3	1	5	4	4	7	5	3	45	4.6		

表9-2 HIV感染者及びAIDS患者の年齢階級別、感染地別、報告地別の年次推移

(日本国籍男性・同性間性的接触)

診断区分	項目	区分	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	
HIV	合計		0	0	20	8	22	16	21	36	41	71	60	90	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0
		10-14	0	0	0	0	0	0	0	0	0	0	0	0	0
		15-19	0	0	0	0	0	0	0	0	1	0	0	1	1
		20-24	0	0	1	4	0	1	1	1	6	10	9	7	16
		25-29	0	0	3	1	6	4	3	9	9	14	19	20	20
		30-34	0	0	5	1	4	0	3	6	6	8	10	18	18
		35-39	0	0	8	0	5	2	1	7	6	11	4	11	11
		40-44	0	0	2	1	5	5	7	3	3	15	8	10	10
		45-49	0	0	1	0	0	2	1	2	4	6	5	6	6
		50-54	0	0	0	0	0	0	0	1	1	2	1	2	2
	55-59	0	0	0	1	1	1	1	2	0	0	2	3	3	
	60歳以上	0	0	0	0	1	1	1	3	1	2	4	2	3	
	不明	0	0	0	0	0	0	0	0	0	0	0	0	0	
感染地	国内	0	0	0	0	11	14	14	26	35	59	53	82	82	
	海外	0	0	0	0	9	1	6	4	3	3	6	2	2	
	不明	0	0	20	8	2	1	1	6	3	9	1	6	6	
報告地 (ブロック*1)	北海道・東北	0	0	0	0	1	0	0	0	0	0	0	0	0	
	関東・甲信越*2	0	0	3	2	1	2	3	9	5	23	17	24	24	
	東京	0	0	12	5	17	10	11	20	29	27	29	58	58	
	東海	0	0	0	1	2	1	3	3	2	3	7	3	3	
	北陸	0	0	1	0	0	0	0	0	0	0	0	1	1	
	近畿	0	0	3	0	1	2	2	3	3	9	3	3	3	
	中国・四国	0	0	1	0	0	1	0	0	1	1	2	0	0	
	九州	0	0	0	0	0	0	0	2	1	1	8	2	1	
AIDS	合計		5	2	5	5	9	6	12	12	14	40	38	45	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0
		10-14	0	0	0	0	0	0	0	0	0	0	0	0	0
		15-19	0	0	0	0	0	0	0	0	0	0	0	0	0
		20-24	0	0	0	1	1	0	0	0	1	0	2	2	2
		25-29	0	0	0	0	3	1	1	1	1	8	3	6	6
		30-34	1	1	1	0	2	1	1	3	0	7	6	7	7
		35-39	2	1	0	1	0	1	5	1	3	5	3	5	5
		40-44	1	0	3	1	3	3	1	4	4	10	5	10	10
		45-49	0	0	1	1	0	0	3	2	3	5	12	3	3
		50-54	1	0	0	1	0	0	0	0	1	2	6	5	5
	55-59	0	0	0	0	0	0	1	0	0	1	1	3	3	
	60歳以上	0	0	0	0	0	0	0	1	1	2	0	4	4	
	不明	0	0	0	0	0	0	0	0	0	0	0	0	0	
感染地	国内	0	0	0	0	2	3	9	8	9	27	26	33	33	
	海外	0	0	0	0	3	3	2	3	3	4	6	4	4	
	不明	5	2	5	5	4	0	1	1	2	9	6	8	8	
報告地 (ブロック*1)	北海道・東北	0	0	0	1	0	1	0	0	0	1	1	0	0	
	関東・甲信越*2	0	0	1	1	2	0	1	1	5	5	9	17	17	
	東京	5	1	4	2	5	3	8	10	4	31	19	21	21	
	東海	0	0	0	1	1	0	0	0	0	1	5	1	1	
	北陸	0	0	0	0	0	0	0	0	0	0	0	0	0	
	近畿	0	1	0	0	1	2	2	1	2	1	4	4	4	
	中国・四国	0	0	0	0	0	0	0	0	2	0	0	0	0	
九州	0	0	0	0	0	0	1	0	1	1	0	2	2		

*1 ブロック区分については、表10-1を参照。

*2 東京都を除く。

診断区分	項目	区分	1997	1998	1999	2000	2001	2002	2003	2004	合計	合計の%	
HIV	合計		111	122	195	203	300	305	340	449	2,410	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	1	3	1	3	5	5	21	0.9	
		20-24	15	15	23	30	43	37	48	64	330	13.7	
		25-29	35	37	50	47	91	91	80	103	622	25.8	
		30-34	19	31	36	48	64	75	69	126	529	22.0	
		35-39	12	13	24	20	44	30	64	75	337	14.0	
		40-44	6	2	21	11	19	24	27	30	199	8.3	
		45-49	10	8	22	15	16	16	17	19	150	6.2	
		50-54	5	4	6	13	8	13	10	12	78	3.2	
		55-59	6	4	6	5	6	9	12	7	68	2.8	
		60歳以上	3	8	6	11	8	7	8	8	76	3.2	
		不明	0	0	0	0	0	0	0	0	0	0.0	
感染地	国内	101	110	183	181	283	286	324	428	2,190	90.9		
	海外	5	3	1	6	4	10	7	6	76	3.2		
	不明	5	9	11	16	13	9	9	15	144	6.0		
報告地 (ブロック*1)	北海道・東北	1	5	4	6	8	5	6	13	49	2.0		
	関東・甲信越*2	21	32	35	23	28	26	37	54	345	14.3		
	東京	66	58	112	123	163	173	171	194	1,278	53.0		
	東海	6	7	7	10	24	24	29	41	173	7.2		
	北陸	1	0	0	0	4	4	0	3	14	0.6		
	近畿	15	18	25	31	58	54	73	105	408	16.9		
	中国・四国	0	1	2	6	8	6	13	18	60	2.5		
	九州	1	1	10	4	7	13	11	21	83	3.4		
AIDS	合計		33	44	53	66	83	81	91	126	770	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	0	0	0	0	0	0	0	0	0.0
		20-24	2	1	2	3	2	1	5	4	27	3.5	
		25-29	4	3	4	7	13	8	10	12	85	11.0	
		30-34	4	6	12	13	23	13	15	32	148	19.2	
		35-39	6	5	4	11	9	15	22	24	123	16.0	
		40-44	5	6	10	3	9	8	7	18	111	14.4	
		45-49	5	9	9	10	11	3	10	9	96	12.5	
		50-54	6	5	8	8	7	16	12	10	88	11.4	
		55-59	0	6	1	4	5	7	4	11	44	5.7	
		60歳以上	1	3	3	7	4	10	6	6	48	6.2	
		不明	0	0	0	0	0	0	0	0	0	0.0	
感染地	国内	29	39	49	61	74	78	85	117	649	84.3		
	海外	2	2	4	2	4	2	1	3	48	6.2		
	不明	2	3	0	3	5	1	5	6	73	9.5		
報告地 (ブロック*1)	北海道・東北	1	2	1	0	3	2	3	7	23	3.0		
	関東・甲信越*2	11	13	13	18	17	21	18	34	187	24.3		
	東京	17	20	24	35	36	38	43	47	373	48.4		
	東海	0	3	3	2	7	6	6	10	46	6.0		
	北陸	0	0	0	0	0	0	0	0	0	0.0		
	近畿	4	6	10	5	13	11	10	16	93	12.1		
	中国・四国	0	0	0	1	1	2	5	9	20	2.6		
	九州	0	0	2	5	6	1	6	3	28	3.6		

表9-3 HIV感染者及びAIDS患者の年齢階級別、感染地別、報告地別の年次推移
(日本国籍女性・異性間性的接触)

診断区分	項目	区分	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	
HIV	合計		0	0	6	1	14	5	16	14	15	31	16	35	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0
		10-14	0	0	0	0	0	0	0	0	0	0	0	0	0
		15-19	0	0	0	0	0	0	0	1	3	1	3	2	0
		20-24	0	0	3	1	4	2	3	3	4	1	6	3	7
		25-29	0	0	1	0	6	1	7	3	3	6	11	2	14
		30-34	0	0	2	0	2	0	3	2	4	3	2	2	4
		35-39	0	0	0	0	1	0	0	1	1	3	3	2	2
		40-44	0	0	0	0	0	0	2	1	1	0	2	0	1
		45-49	0	0	0	0	0	0	0	0	0	1	0	1	2
		50-54	0	0	0	0	0	0	0	1	0	0	2	2	3
		55-59	0	0	0	0	1	0	0	0	0	1	1	0	2
		60歳以上	0	0	0	0	0	0	0	0	0	0	0	1	0
		不明	0	0	0	0	0	0	0	0	0	0	0	0	0
感染地	国内	0	0	0	0	7	2	15	11	11	24	11	26		
	海外	0	0	0	0	3	3	1	2	4	4	3	7		
	不明	0	0	6	1	4	0	0	1	0	3	2	2		
報告地 (ブロック*1)	北海道・東北	0	0	0	0	1	0	1	1	3	0	0	3		
	関東・甲信越*2	0	0	2	0	5	1	4	3	6	12	7	14		
	東京	0	0	3	1	7	3	3	2	3	4	5	14		
	東海	0	0	0	0	0	0	2	1	0	5	1	1		
	北陸	0	0	0	0	0	0	1	0	0	1	1	0		
	近畿	0	0	0	0	0	0	2	2	1	7	1	3		
	中国・四国	0	0	1	0	1	0	2	2	0	1	1	0		
	九州	0	0	0	0	0	1	1	3	2	1	0	0		
	AIDS	合計		0	0	2	2	1	1	0	1	3	3	10	8
年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10-14	0	0	0	0	0	0	0	0	0	0	0	0	0	
	15-19	0	0	0	0	0	0	0	0	0	0	0	0	0	
	20-24	0	0	0	0	0	0	0	0	1	0	0	1	1	
	25-29	0	0	1	1	1	0	0	0	0	0	1	1	2	
	30-34	0	0	0	1	0	0	0	0	0	2	1	1	1	
	35-39	0	0	0	0	0	0	1	0	0	0	0	1	1	
	40-44	0	0	1	0	0	0	0	0	0	1	0	1	1	
	45-49	0	0	0	0	0	0	0	0	0	0	0	1	0	
	50-54	0	0	0	0	0	0	0	0	0	0	1	2	0	
	55-59	0	0	0	0	0	0	0	0	0	0	0	0	0	
	60歳以上	0	0	0	0	0	0	0	0	0	0	0	2	2	
	不明	0	0	0	0	0	0	0	0	0	0	0	0	0	
感染地	国内	0	0	0	0	0	1	0	1	1	3	7	6		
	海外	0	0	0	0	0	0	0	0	2	0	3	2		
	不明	0	0	2	2	1	0	0	0	0	0	0	0		
報告地 (ブロック*1)	北海道・東北	0	0	0	0	0	0	0	0	0	0	0	2	2	
	関東・甲信越*2	0	0	0	0	0	0	0	0	1	2	3	1		
	東京	0	0	1	0	0	1	0	0	0	0	1	1		
	東海	0	0	0	0	0	0	0	0	1	0	2	0		
	北陸	0	0	0	0	0	0	0	0	0	0	0	0		
	近畿	0	0	1	0	1	0	0	1	0	0	1	3		
	中国・四国	0	0	0	1	0	0	0	0	1	1	0	0		
九州	0	0	0	1	0	0	0	0	0	0	0	1	1		

*1 ブロック区分については、表10-1を参照。

*2 東京都を除く。

診断区分	項目	区分	1997	1998	1999	2000	2001	2002	2003	2004	合計	合計の%	
HIV	合計		29	34	38	26	38	30	24	37	409	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0	0.0
		15-19	2	3	2	0	4	1	2	1	25	6.1	
		20-24	7	5	6	5	12	4	2	5	80	19.6	
		25-29	5	10	8	8	3	4	6	8	103	25.2	
		30-34	4	2	8	4	6	5	3	8	62	15.2	
		35-39	2	4	2	2	4	5	5	4	39	9.5	
		40-44	2	1	1	1	3	5	1	4	25	6.1	
		45-49	0	4	3	2	2	2	1	1	19	4.6	
		50-54	3	2	3	1	3	0	1	0	21	5.1	
		55-59	0	2	4	3	1	4	2	5	26	6.4	
		60歳以上	4	1	1	0	0	0	1	1	9	2.2	
		不明	0	0	0	0	0	0	0	0	0	0.0	
感染地	国内	25	25	33	20	32	21	18	33	314	76.8		
	海外	2	5	3	5	6	4	2	3	57	13.9		
	不明	2	4	2	1	0	5	4	1	38	9.3		
報告地 (ブロック*1)	北海道・東北	1	2	1	0	6	3	3	0	25	6.1		
	関東・甲信越*2	16	15	24	9	12	7	7	10	154	37.7		
	東京	7	9	6	9	13	10	7	18	124	30.3		
	東海	3	1	0	3	5	7	2	2	33	8.1		
	北陸	0	0	0	1	0	0	0	0	4	1.0		
	近畿	1	4	2	1	0	1	3	5	33	8.1		
	中国・四国	0	1	1	1	0	0	1	0	12	2.9		
	九州	1	2	4	2	2	2	1	2	24	5.9		
AIDS	合計		9	6	7	15	14	12	13	14	121	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	1	0	0	0	0	0	0	1	0.8
		20-24	1	0	0	0	0	0	1	2	7	5.8	
		25-29	1	1	4	1	4	2	1	2	23	19.0	
		30-34	3	0	0	1	2	1	1	1	15	12.4	
		35-39	1	4	0	1	3	2	5	2	21	17.4	
		40-44	0	0	1	4	1	2	1	1	14	11.6	
		45-49	1	0	0	1	2	0	1	2	8	6.6	
		50-54	2	0	1	1	1	0	1	1	10	8.3	
		55-59	0	1	0	3	1	2	1	2	10	8.3	
		60歳以上	0	0	0	3	0	3	1	1	12	9.9	
		不明	0	0	0	0	0	0	0	0	0	0.0	
感染地	国内	5	3	5	13	7	10	12	11	85	70.2		
	海外	3	3	2	1	5	2	0	3	26	21.5		
	不明	1	0	0	1	2	0	1	0	10	8.3		
報告地 (ブロック*1)	北海道・東北	0	0	0	0	2	2	0	0	8	6.6		
	関東・甲信越*2	5	4	3	9	4	6	9	8	55	45.5		
	東京	3	1	3	2	3	2	2	1	21	17.4		
	東海	0	1	1	0	2	1	2	3	13	10.7		
	北陸	1	0	0	0	0	0	0	0	1	0.8		
	近畿	0	0	0	0	3	0	0	1	11	9.1		
	中国・四国	0	0	0	1	0	1	0	0	5	4.1		
	九州	0	0	0	3	0	0	0	1	7	5.8		

表9-4 HIV感染者及びAIDS患者の年齢階級別、感染地別、報告地別の年次推移

(外国国籍男性・異性間性的接触)

診断区分	項目	区分	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	
HIV	合計		0	0	4	0	6	3	10	13	15	15	18	25	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0
		10-14	0	0	0	0	0	0	0	0	0	0	0	0	0
		15-19	0	0	0	0	0	0	0	0	0	0	0	0	0
		20-24	0	0	0	0	0	0	2	5	1	4	1	1	
		25-29	0	0	0	0	2	1	2	2	6	4	5	5	
		30-34	0	0	0	0	2	2	3	3	6	4	7	12	
		35-39	0	0	2	0	0	0	2	2	0	1	3	6	
		40-44	0	0	2	0	1	0	1	1	2	2	1	0	
		45-49	0	0	0	0	1	0	0	0	0	0	0	1	
		50-54	0	0	0	0	0	0	0	0	0	0	0	0	
		55-59	0	0	0	0	0	0	0	0	0	0	0	0	
		60歳以上	0	0	0	0	0	0	0	0	0	0	0	0	
不明	0	0	0	0	0	0	0	0	0	0	0	1	0		
感染地	国内	0	0	0	0	0	0	1	1	2	3	2	7		
	海外	0	0	0	0	5	3	9	9	11	9	14	14		
	不明	0	0	4	0	1	0	0	3	2	3	2	4		
報告地 (ブロック*1)	北海道・東北	0	0	0	0	0	0	0	0	0	0	0	0		
	関東・甲信越*2	0	0	1	0	0	0	0	7	4	5	9	12		
	東京	0	0	3	0	4	3	4	4	10	5	5	6		
	東海	0	0	0	0	2	0	3	0	1	1	1	6		
	北陸	0	0	0	0	0	0	0	0	0	0	1	0		
	近畿	0	0	0	0	0	0	2	2	0	2	2	1		
	中国・四国	0	0	0	0	0	0	1	0	0	0	0	0		
	九州	0	0	0	0	0	0	0	0	0	0	2	0	0	
AIDS	合計		0	0	0	2	0	2	1	3	7	8	12	25	
年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10-14	0	0	0	0	0	0	0	0	0	0	0	0	0	
	15-19	0	0	0	0	0	0	0	0	0	0	0	0	0	
	20-24	0	0	0	2	0	0	0	0	0	0	1	0	1	
	25-29	0	0	0	0	0	1	0	1	1	1	3	12		
	30-34	0	0	0	0	0	0	0	2	4	3	3	7		
	35-39	0	0	0	0	0	0	1	0	0	0	3	3		
	40-44	0	0	0	0	0	0	0	0	1	2	1	0		
	45-49	0	0	0	0	0	1	0	0	1	1	1	2		
	50-54	0	0	0	0	0	0	0	0	0	0	0	0		
	55-59	0	0	0	0	0	0	0	0	0	0	0	1	0	
	60歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	
不明	0	0	0	0	0	0	0	0	0	0	0	0	0		
感染地	国内	0	0	0	0	0	0	0	0	0	1	0	2		
	海外	0	0	0	0	0	1	1	2	7	4	8	18		
	不明	0	0	0	2	0	1	0	1	0	3	4	5		
報告地 (ブロック*1)	北海道・東北	0	0	0	1	0	0	0	0	0	0	0	0		
	関東・甲信越*2	0	0	0	0	0	0	0	1	3	3	5	9		
	東京	0	0	0	1	0	1	0	1	2	1	4	10		
	東海	0	0	0	0	0	0	1	1	2	4	3	6		
	北陸	0	0	0	0	0	0	0	0	0	0	0	0		
	近畿	0	0	0	0	0	1	0	0	0	0	0	0		
	中国・四国	0	0	0	0	0	0	0	0	0	0	0	0		
	九州	0	0	0	0	0	0	0	0	0	0	0	0		

*1 ブロック区分については、表10-1を参照。

*2 東京都を除く。

診断区分	項目	区分	1997	1998	1999	2000	2001	2002	2003	2004	合計	合計の%	
HIV	合計		15	18	12	16	25	19	18	20	252	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	0	0	0	0	0	0	2	2	0.8
		20-24	1	0	0	3	0	0	1	0	0	19	7.5
		25-29	4	5	6	2	3	1	5	2	55	21.8	
		30-34	4	8	2	6	10	5	5	8	87	34.5	
		35-39	3	3	1	5	4	8	3	2	45	17.9	
		40-44	3	2	1	0	3	0	2	3	24	9.5	
		45-49	0	0	2	0	3	1	1	1	10	4.0	
		50-54	0	0	0	0	2	2	1	1	6	2.4	
		55-59	0	0	0	0	0	0	1	0	1	2	0.8
		60歳以上	0	0	0	0	0	0	1	0	0	1	0.4
不明	0	0	0	0	0	0	0	0	0	1	0.4		
感染地	国内	3	5	5	3	11	6	7	10	66	26.2		
	海外	9	7	3	6	8	11	5	4	127	50.4		
	不明	3	6	4	7	6	2	6	6	59	23.4		
報告地 (ブロック*1)	北海道・東北	1	0	0	0	0	2	1	0	4	1.6		
	関東・甲信越*2	10	7	4	5	10	7	4	4	89	35.3		
	東京	2	5	6	7	9	6	6	5	90	35.7		
	東海	0	3	0	3	5	3	3	5	36	14.3		
	北陸	0	0	0	1	0	0	0	1	3	1.2		
	近畿	2	3	2	0	0	1	3	5	25	9.9		
	中国・四国	0	0	0	0	1	0	1	0	3	1.2		
	九州	0	0	0	0	0	0	0	0	2	0.8		
	合計	15	13	23	15	18	11	15	12	182	100		
AIDS	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	0	0	0	0	0	0	0	0	0.0
		20-24	1	0	0	1	0	0	0	0	0	6	3.3
		25-29	1	2	3	1	0	1	2	1	30	16.5	
		30-34	10	4	8	6	2	3	4	1	57	31.3	
		35-39	2	3	7	4	5	5	2	4	39	21.4	
		40-44	0	3	2	1	8	1	3	1	23	12.6	
		45-49	1	0	0	1	2	1	4	3	18	9.9	
		50-54	0	1	1	1	1	0	0	0	4	2.2	
		55-59	0	0	2	0	0	0	0	0	3	1.6	
		60歳以上	0	0	0	0	0	0	0	2	2	1.1	
	不明	0	0	0	0	0	0	0	0	0	0.0		
感染地	国内	2	0	5	2	3	1	3	6	25	13.7		
	海外	9	10	16	7	9	7	6	5	110	60.4		
	不明	4	3	2	6	6	3	6	1	47	25.8		
報告地 (ブロック*1)	北海道・東北	0	0	1	0	0	0	0	0	2	1.1		
	関東・甲信越*2	10	7	10	8	11	7	6	9	89	48.9		
	東京	3	1	8	3	3	0	6	2	46	25.3		
	東海	2	1	1	2	1	2	2	1	29	15.9		
	北陸	0	0	1	0	1	0	0	0	2	1.1		
	近畿	0	3	2	2	2	0	0	0	10	5.5		
	中国・四国	0	0	0	0	0	0	1	0	1	0.5		
	九州	0	1	0	0	0	2	0	0	3	1.6		

表9-5 HIV感染者及びAIDS患者の年齢階級別、感染地別、報告地別の年次推移

(外国国籍男性・同性間性的接触)

診断区分	項目	区分	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996		
HIV	合計		0	0	5	4	13	4	4	8	4	6	8	12		
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0	
		10-14	0	0	0	0	0	0	0	0	0	0	0	0	0	
		15-19	0	0	0	0	0	0	0	0	0	0	0	0	0	
		20-24	0	0	0	0	1	0	0	1	0	0	2	1		
		25-29	0	0	1	1	2	2	1	1	0	2	3	4		
		30-34	0	0	2	1	1	0	0	1	1	1	2	3		
		35-39	0	0	0	0	2	0	0	3	3	1	1	2		
		40-44	0	0	1	2	4	0	1	1	0	2	0	1		
		45-49	0	0	0	0	2	0	2	1	0	0	0	0		
		50-54	0	0	1	0	0	1	0	0	0	0	0	0		
		55-59	0	0	0	0	0	1	0	0	0	0	0	1		
	60歳以上	0	0	0	0	1	0	0	0	0	0	0	0			
	不明	0	0	0	0	0	0	0	0	0	0	0	0			
	感染地	国内	0	0	0	0	0	0	0	0	0	0	2	2		
		海外	0	0	0	0	6	4	4	8	3	5	1	2		
		不明	0	0	5	4	7	0	0	0	1	1	5	8		
	報告地 (ブロック*1)	北海道・東北	0	0	0	0	0	0	0	0	0	1	0	0		
		関東・甲信越*2	0	0	0	0	0	1	0	3	0	1	1	4		
		東京	0	0	4	3	12	2	3	3	4	3	5	7		
		東海	0	0	0	0	0	0	0	0	0	0	2	1		
		北陸	0	0	0	0	0	0	0	0	0	0	0	0		
		近畿	0	0	1	1	1	1	0	0	0	1	0	0		
		中国・四国	0	0	0	0	0	0	1	2	0	0	0	0		
		九州	0	0	0	0	0	0	0	0	0	0	0	0		
	AIDS	合計		1	2	3	1	3	4	6	2	2	5	2	4	
		年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	
			10-14	0	0	0	0	0	0	0	0	0	0	0	0	
			15-19	0	0	0	0	0	0	0	0	0	0	0	0	
			20-24	0	0	0	1	0	0	0	0	0	0	0	2	
			25-29	0	0	1	0	0	0	0	1	0	2	0	1	
			30-34	1	1	2	0	1	2	3	1	1	2	1	1	
35-39			0	0	0	0	1	0	2	0	1	0	0	0		
40-44			0	0	0	0	0	1	1	0	0	0	0	0		
45-49			0	0	0	0	1	1	0	0	0	1	1	0		
50-54			0	1	0	0	0	0	0	0	0	0	0	0		
55-59			0	0	0	0	0	0	0	0	0	0	0	0		
60歳以上		0	0	0	0	0	0	0	0	0	0	0	0			
不明		0	0	0	0	0	0	0	0	0	0	0	0			
感染地		国内	0	0	0	0	0	1	0	0	0	0	0	0		
		海外	0	0	0	0	0	1	6	2	2	3	0	4		
		不明	1	2	3	1	3	2	0	0	0	2	2	0		
報告地 (ブロック*1)		北海道・東北	0	0	0	0	0	0	0	0	0	0	0	0		
		関東・甲信越*2	0	0	1	1	0	0	0	0	0	1	1	1		
		東京	1	2	2	0	2	4	4	0	2	3	1	1		
		東海	0	0	0	0	0	0	1	0	0	0	0	2		
		北陸	0	0	0	0	0	0	0	0	0	1	0	0		
		近畿	0	0	0	0	0	0	0	1	0	0	0	0		
		中国・四国	0	0	0	0	0	0	1	0	0	0	0	0		
		九州	0	0	0	0	1	0	0	1	0	0	0	0		

*1 ブロック区分については、表10-1を参照。

*2 東京都を除く。

診断区分	項目	区分	1997	1998	1999	2000	2001	2002	2003	2004	合計	合計の%	
HIV	合計		10	12	6	15	13	24	16	19	183	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	0	0	0	0	0	0	0	0	0.0
		20-24	1	1	1	1	0	1	1	1	2	13	7.1
		25-29	3	5	3	4	3	9	2	6	52	28.4	
		30-34	5	5	0	4	4	2	4	4	40	21.9	
		35-39	0	1	1	2	4	6	5	4	35	19.1	
		40-44	0	0	1	4	1	2	4	2	26	14.2	
		45-49	1	0	0	0	0	2	0	1	9	4.9	
		50-54	0	0	0	0	1	2	0	0	5	2.7	
	55-59	0	0	0	0	0	0	0	0	2	1.1		
	60歳以上	0	0	0	0	0	0	0	0	1	0.5		
不明	0	0	0	0	0	0	0	0	0	0	0.0		
感染地	国内	5	8	2	7	12	16	9	15	78	42.6		
	海外	4	2	2	3	0	4	0	2	50	27.3		
	不明	1	2	2	5	1	4	7	2	55	30.1		
報告地 (ブロック*1)	北海道・東北	0	0	0	0	0	2	0	0	3	1.6		
	関東・甲信越*2	2	0	2	2	2	2	3	3	26	14.2		
	東京	6	8	3	12	10	15	9	10	119	65.0		
	東海	1	1	0	1	1	1	1	4	13	7.1		
	北陸	0	0	0	0	0	0	0	0	0	0.0		
	近畿	1	3	1	0	0	4	2	1	17	9.3		
	中国・四国	0	0	0	0	0	0	1	1	5	2.7		
	九州	0	0	0	0	0	0	0	0	0	0.0		
AIDS	合計		2	2	2	7	7	2	4	15	76	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	0	0	0	0	0	0	0	0	0.0
		20-24	0	0	0	0	0	0	0	1	4	5.3	
		25-29	1	0	1	1	0	0	0	0	8	10.5	
		30-34	1	1	0	1	0	0	1	3	23	30.3	
		35-39	0	0	1	2	4	1	1	7	20	26.3	
		40-44	0	1	0	1	1	0	0	1	6	7.9	
		45-49	0	0	0	0	0	1	1	2	8	10.5	
		50-54	0	0	0	1	1	0	0	1	4	5.3	
	55-59	0	0	0	1	0	0	1	0	2	2.6		
	60歳以上	0	0	0	0	1	0	0	0	1	1.3		
不明	0	0	0	0	0	0	0	0	0	0.0			
感染地	国内	0	1	1	0	5	1	3	9	21	27.6		
	海外	2	1	1	4	2	0	0	3	31	40.8		
	不明	0	0	0	3	0	1	1	3	24	31.6		
報告地 (ブロック*1)	北海道・東北	0	0	0	0	0	0	0	1	1	1.3		
	関東・甲信越*2	0	0	0	5	3	1	1	5	20	26.3		
	東京	1	2	2	0	3	1	2	3	36	47.4		
	東海	1	0	0	1	0	0	0	3	8	10.5		
	北陸	0	0	0	0	1	0	0	0	2	2.6		
	近畿	0	0	0	1	0	0	1	2	5	6.6		
	中国・四国	0	0	0	0	0	0	0	1	2	2.6		
九州	0	0	0	0	0	0	0	0	2	2.6			

表9-6 HIV感染者及びAIDS患者の年齢階級別、感染地別、報告地別の年次推移

(外国国籍女性・異性間性的接触)

診断区分	項目	区分	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	
HIV	合計		0	0	0	0	5	12	61	149	64	51	39	42	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0
		10-14	0	0	0	0	0	0	0	0	0	0	0	0	0
		15-19	0	0	0	0	1	2	13	20	6	3	3	3	3
		20-24	0	0	0	0	2	4	39	81	35	15	16	11	11
		25-29	0	0	0	0	1	3	5	41	16	26	14	15	15
		30-34	0	0	0	0	0	2	2	4	6	5	5	10	10
		35-39	0	0	0	0	0	0	1	1	1	1	1	1	2
		40-44	0	0	0	0	0	0	0	0	0	0	1	0	1
		45-49	0	0	0	0	0	0	0	0	0	0	0	0	0
		50-54	0	0	0	0	0	0	0	0	0	0	0	0	0
		55-59	0	0	0	0	0	0	0	0	0	0	0	0	0
		60歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0
	不明	0	0	0	0	1	1	1	2	0	0	0	0		
感染地	国内	0	0	0	0	0	0	2	4	10	14	12	14		
	海外	0	0	0	0	2	7	50	96	26	11	10	11		
	不明	0	0	0	0	3	5	9	49	28	26	17	17		
報告地 (ブロック*1)	北海道・東北	0	0	0	0	0	0	0	0	0	0	0	0		
	関東・甲信越*2	0	0	0	0	3	6	55	98	44	41	20	30		
	東京	0	0	0	0	2	5	3	37	14	7	13	6		
	東海	0	0	0	0	0	1	3	9	4	1	5	5		
	北陸	0	0	0	0	0	0	0	0	1	1	0	0		
	近畿	0	0	0	0	0	0	0	5	1	1	1	1		
	中国・四国	0	0	0	0	0	0	0	0	0	0	0	0		
	九州	0	0	0	0	0	0	0	0	0	0	0	0		
AIDS	合計		0	0	2	0	0	0	0	0	5	4	9	8	
年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10-14	0	0	0	0	0	0	0	0	0	0	0	0	0	
	15-19	0	0	0	0	0	0	0	0	0	1	0	1	0	
	20-24	0	0	0	0	0	0	0	0	0	2	1	1	0	
	25-29	0	0	1	0	0	0	0	0	0	2	2	5	3	
	30-34	0	0	1	0	0	0	0	0	0	0	0	1	2	
	35-39	0	0	0	0	0	0	0	0	0	0	1	1	1	
	40-44	0	0	0	0	0	0	0	0	0	0	0	0	2	
	45-49	0	0	0	0	0	0	0	0	0	0	0	0	0	
	50-54	0	0	0	0	0	0	0	0	0	0	0	0	0	
	55-59	0	0	0	0	0	0	0	0	0	0	0	0	0	
	60歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	
	不明	0	0	0	0	0	0	0	0	0	0	0	0		
感染地	国内	0	0	0	0	0	0	0	0	0	1	0	1	1	
	海外	0	0	0	0	0	0	0	0	0	1	1	4	4	
	不明	0	0	2	0	0	0	0	0	0	3	3	4	3	
報告地 (ブロック*1)	北海道・東北	0	0	0	0	0	0	0	0	0	0	0	0	0	
	関東・甲信越*2	0	0	1	0	0	0	0	0	4	3	4	5		
	東京	0	0	1	0	0	0	0	0	0	0	1	2	2	
	東海	0	0	0	0	0	0	0	0	0	0	0	3	1	
	北陸	0	0	0	0	0	0	0	0	0	0	0	0	0	
	近畿	0	0	0	0	0	0	0	0	0	1	0	0	0	
	中国・四国	0	0	0	0	0	0	0	0	0	0	0	0	0	
	九州	0	0	0	0	0	0	0	0	0	0	0	0	0	

*1 ブロック区分については、表10-1を参照。

*2 東京都を除く。

診断区分	項目	区分	1997	1998	1999	2000	2001	2002	2003	2004	合計	合計の%	
HIV	合計		49	36	35	26	24	24	28	21	666	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0	0.0
		15-19	0	1	0	0	0	0	1	0	2	55	8.3
		20-24	10	8	5	4	6	4	4	4	1	245	36.8
		25-29	20	10	12	13	4	7	9	5	5	201	30.2
		30-34	13	11	9	7	7	4	9	5	99	14.9	
		35-39	4	4	5	2	2	6	2	6	38	5.7	
		40-44	2	0	3	0	2	0	2	1	12	1.8	
		45-49	0	0	1	0	3	2	1	1	8	1.2	
		50-54	0	0	0	0	0	0	0	1	0	1	0.2
		55-59	0	1	0	0	0	0	0	0	0	1	0.2
		60歳以上	0	0	0	0	0	0	0	0	0	0	0.0
不明	0	1	0	0	0	0	0	0	0	6	0.9		
感染地	国内	15	15	12	5	6	11	10	6	6	136	20.4	
	海外	13	10	11	7	8	7	12	6	6	287	43.1	
	不明	21	11	12	14	10	6	6	9	9	243	36.5	
報告地 (ブロック*1)	北海道・東北	1	0	0	0	0	0	0	0	0	1	0.2	
	関東・甲信越*2	27	19	19	16	14	13	13	10	10	428	64.3	
	東京	12	8	11	4	7	1	8	8	8	146	21.9	
	東海	3	4	2	5	1	5	2	2	2	52	7.8	
	北陸	0	0	1	1	0	0	1	0	0	5	0.8	
	近畿	5	4	1	0	0	4	2	0	0	25	3.8	
	中国・四国	1	0	0	0	2	1	1	1	1	6	0.9	
	九州	0	1	1	0	0	0	0	1	0	3	0.5	
AIDS	合計		14	6	21	16	14	13	12	10	134	100	
	年齢	10歳未満	0	0	0	0	0	0	0	0	0	0	0.0
		10-14	0	0	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	0	0	0	0	0	0	0	2	1.5
		20-24	4	0	5	1	0	1	1	0	0	16	11.9
		25-29	4	2	5	5	5	3	2	2	2	41	30.6
		30-34	4	2	7	2	5	5	3	1	1	33	24.6
		35-39	1	2	2	5	3	2	5	3	3	26	19.4
		40-44	1	0	1	3	0	1	1	1	3	12	9.0
		45-49	0	0	1	0	1	1	0	1	1	4	3.0
		50-54	0	0	0	0	0	0	0	0	0	0	0.0
		55-59	0	0	0	0	0	0	0	0	0	0	0.0
		60歳以上	0	0	0	0	0	0	0	0	0	0	0.0
不明	0	0	0	0	0	0	0	0	0	0	0.0		
感染地	国内	3	1	3	1	4	3	1	5	24	17.9		
	海外	6	4	14	9	5	3	5	2	58	43.3		
	不明	5	1	4	6	5	7	6	3	52	38.8		
報告地 (ブロック*1)	北海道・東北	0	0	0	0	0	0	1	0	0	1	0.7	
	関東・甲信越*2	11	3	12	10	8	9	5	9	9	84	62.7	
	東京	2	1	6	4	2	4	4	4	1	30	22.4	
	東海	0	0	3	2	1	0	2	0	0	12	9.0	
	北陸	0	0	0	0	0	0	0	0	0	0	0.0	
	近畿	1	2	0	0	3	0	0	0	0	7	5.2	
	中国・四国	0	0	0	0	0	0	0	0	0	0	0.0	
	九州	0	0	0	0	0	0	0	0	0	0	0.0	